

Characterization of irradiated SiPM for the TOP detector at the Belle II experiment

Padova meeting 14/3/2024

Ezio Torassa, Roberto Stroili, <u>Jakub Kandra</u> INFN Padova

Content



Done:

- Irradiated SiPM modules in Padova
- Gain as function of bias voltage
- Gain as function of overvoltage
- Time resolution for first photon peak (Markov and simple) for SiPMs with recognized spectra
- Time resolution for all photon peaks using SiPMs with unrecognized spectra
- Time resolution for others photon peaks (Markov and simple) for SiPMs with recognized spectra
- Darkcount rates for SiPMs Preliminary (Missing and no-processed data)
- Change parameters in Markov algorithm and share them Backup

To Do:

- Add fitted spectra (one bias voltage ~ 1.0 per temperature per SiPM)
- Check results and provide better fits if needed
- Update table with fitted breakdown voltages and slope with uncertainties
- Irradiation campaign in Legnaro from 22th to 24th April 2024

Tests with irradiated modules in Padova



- In Belle II, MCP-PMTs with extended lifetime have been installed and they have limited lifetime depending on accumulated charge.
- We are trying to understand if they eventually can be replaced with SiPMs.
- We irradiated 24 SiPMs modules with different neutron fluxes and tested by laser.
- Eight of them are processed to study their response.
- Collected data are read from modules and analyzed.

Index	Producer	Dimension	Pitch	Distance	Neutron 1 MeV	Charge	Time
		$[mm \times mm]$	$[\mu m]$	[cm]	$\rm eg/cm^2$ fluence	[mC]	[h]
8	FBK	3×3	15	18.36	$1.0 \cdot 10^{10}$	2.86	5.88
9	FBK	3×3	15	18.24	$5.0 \cdot 10^{9}$	1.41	2.90
10	FBK	3×3	15	33.24	$1.0 \cdot 10^{9}$	0.94	1.93
11	FBK	1×1	15	15.86	$2.0 \cdot 10^{10}$	4.26	8.77
12	FBK	1×1	15	30.86	$1.0 \cdot 10^{10}$	8.07	16.61
13	FBK	1×1	15	15.74	$5.0 \cdot 10^{9}$	1.05	2.16
14	FBK	1×1	15	30.74	$1.0 \cdot 10^{9}$	0.80	1.65
15	Hamamatsu	3×3	50	33.46	$1.0 \cdot 10^{9}$	0.95	1.95 з
Jakub Kandra, INFN Padova							




SiMP #11




Gain as function of bias voltage for SiPM #11










Jakub Kandra, INFN Padova






Jakub Kandra, INFN Padova

Vbias









Gain as function of overvoltage for SiPM #11











Jakub Kandra, INFN Padova





Jakub Kandra, INFN Padova








Time resolution for first photon peak for SiPM #11



Time resolution of first peak for SiPM #11 at 20°




Jakub Kandra, INFN Padova




17

Time resolution of first peak for SiPM #11 at 0°






Time resolution of first peak for SiPM #11 at -20°



Jakub Kandra, INFN Padova



Time resolution of first peak for SiPM #11 at -35°






Time resolution for other photon peaks for SiPM #11




Time resolution of other peaks for SiPM #11 at 20°



Jakub Kandra, INFN Padova




Time resolution of other peaks for SiPM #11 at 0°



Jakub Kandra, INFN Padova




Time resolution of other peaks for SiPM #11 at -20°



Jakub Kandra, INFN Padova



Time resolution of other peaks for SiPM #11 at -35°






Dark count rate for SiPM #11




26






27






Dark count rate for SiPM #11 at -20°



Jakub Kandra, INFN Padova










SiMP #12



Gain as function of bias voltage for SiPM #12







Jakub Kandra, INFN Padova

V_{bias}


















Gain as function of overvoltage for SiPM #12






















Time resolution for first photon peak for SiPM #12

Jakub Kandra, INFN Padova




Time resolution of first peak for SiPM #12 at 20°



Jakub Kandra, INFN Padova




Time resolution of first peak for SiPM #12 at 0°



Jakub Kandra, INFN Padova




Time resolution of first peak for SiPM #12 at -20°



Jakub Kandra, INFN Padova



Time resolution of first peak for SiPM #12 at -35°






Time resolution for other photon peaks for SiPM #12




Time resolution of other peaks for SiPM #12 at 20°



Jakub Kandra, INFN Padova




Time resolution of other peaks for SiPM #12 at 0°



Jakub Kandra, INFN Padova




Time resolution of other peaks for SiPM #12 at -20°



Jakub Kandra, INFN Padova



Time resolution of other peaks for SiPM #12 at -35°






Dark count rate for SiPM #12

Jakub Kandra, INFN Padova




52



Jakub Kandra, INFN Padova






Jakub Kandra, INFN Padova




Dark count rate for SiPM #12 at -20°



Jakub Kandra, INFN Padova









SiMP #13


Jakub Kandra, INFN Padova




Gain as function of bias voltage for SiPM #13

Jakub Kandra, INFN Padova






















Gain as function of overvoltage for SiPM #13

Jakub Kandra, INFN Padova


Gain as function of overvoltage for SiPM #13 at temperature 20






Jakub Kandra, INFN Padova










Jakub Kandra, INFN Padova








Time resolution for first photon peak for SiPM #13

Jakub Kandra, INFN Padova




Time resolution of first peak for SiPM #13 at 20°



Jakub Kandra, INFN Padova




Time resolution of first peak for SiPM #13 at 0°



Jakub Kandra, INFN Padova




Time resolution of first peak for SiPM #13 at -20°



Jakub Kandra, INFN Padova



Time resolution of first peak for SiPM #13 at -35°






Time resolution for other photon peaks for SiPM #13




73

Time resolution of other peaks for SiPM #13 at 20°






Time resolution of other peaks for SiPM #13 at 0°



Jakub Kandra, INFN Padova




Time resolution of other peaks for SiPM #13 at -20°



Jakub Kandra, INFN Padova




Time resolution of other peaks for SiPM #13 at -35°





Dark count rate for SiPM #13






Jakub Kandra, INFN Padova




Dark count rate for SiPM #13 at 0°



Jakub Kandra, INFN Padova




Dark count rate for SiPM #13 at -20°



Jakub Kandra, INFN Padova



Dark count rate for SiPM #13 at -35°






SiMP #14



Gain as function of bias voltage for SiPM #14







Jakub Kandra, INFN Padova












Jakub Kandra, INFN Padova

V_{bias}









Gain as function of overvoltage for SiPM #14






















Time resolution for first photon peak for SiPM #14




94

Time resolution of first peak for SiPM #14 at 20°






Time resolution of first peak for SiPM #14 at 0°



Jakub Kandra, INFN Padova




Time resolution of first peak for SiPM #14 at -20°



Jakub Kandra, INFN Padova



Time resolution of first peak for SiPM #14 at -35°






Time resolution for other photon peaks for SiPM #14



Time resolution of other peaks for SiPM #14 at 20°




Jakub Kandra, INFN Padova




100

Time resolution of other peaks for SiPM #14 at 0°



















Dark count rate for SiPM #14




Dark count rate for SiPM #14 at 20°





105


Dark count rate for SiPM #14 at 0°







106

Dark count rate for SiPM #14 at -20°












SiMP #15



Gain as function of bias voltage for SiPM #15






Jakub Kandra, INFN Padova

V_{bias}






Jakub Kandra, INFN Padova








Jakub Kandra, INFN Padova










Gain as function of overvoltage for SiPM #15



















Time resolution for first photon peak for SiPM #15




Time resolution of first peak for SiPM #15 at 20°





121


Time resolution of first peak for SiPM #15 at 0°






122

Time resolution of first peak for SiPM #15 at -20°





Time resolution of first peak for SiPM #15 at -35°






Time resolution for other photon peaks for SiPM #15




Time resolution of other peaks for SiPM #15 at 20°






126

Time resolution of other peaks for SiPM #15 at 0°







Time resolution of other peaks for SiPM #15 at -20°



Jakub Kandra, INFN Padova










Dark count rate for SiPM #15




130





131


Dark count rate for SiPM #15 at 0°






132

Dark count rate for SiPM #15 at -20°









SiMP #8




Time resolution for all photon peaks for SiPM #8



136


Time resolution of all peaks for SiPM #8 at 20°





137


Time resolution of all peaks for SiPM #8 at 0°






138

Time resolution of all peaks for SiPM #8 at -20°





Time resolution of all peaks for SiPM #8 at -35°






Dark count rate for SiPM #8




141






142






143





Dark count rate for SiPM #8 at -35°





SiMP #9




Time resolution for all photon peaks for SiPM #9



147


Time resolution of all peaks for SiPM #9 at 20°





148


Time resolution of all peaks for SiPM #9 at 0°






149

Time resolution of all peaks for SiPM #9 at -20°






Time resolution of all peaks for SiPM #9 at -35°






Dark count rate for SiPM #9






Jakub Kandra, INFN Padova










Dark count rate for SiPM #9 at -20° $\times 10^{4}$ 1.0 5 Non-irradiated Irradiated 2000 0.8 1800 0.6 1600 1400 0.4 1200 0.2 1000 800 <u>-</u> 41.0 0.0 **4**4.0 44.5 45.0 45.5 46.0 41.5 42.0 42.5 43.0 43.5 0.2 0.4 0.6 0.8 1.0 V_{bias} [V] V_{bias} [V] Dark count rate for SiPM #9 at -30° $\times 10^{4}$ 1.0 11 Non-irradiated Irradiated 5 0.8 10 0.6 9 3 0.4 8 2 0.2 7 0.0 ⊾ 0.0 40.5 44.0 45.5 46.0 41.0 42.0 42.5 43.0 44.5 45.0 41.5 0.2 0.4 0.6 0.8 1.0 V_{bias} [V] V_{bias} [V]

Jakub Kandra, INFN Padova







SiMP #10




Time resolution for all photon peaks for SiPM #10



158


Time resolution of all peaks for SiPM #10 at 20°





159


Time resolution of all peaks for SiPM #10 at 0°







160

Time resolution of all peaks for SiPM #10 at -20°












Dark count rate for SiPM #10




163






Dark count rate for SiPM #10 at 0°








Jakub Kandra, INFN Padova







Backup



Markov parameters tuning using SiPM #14

Background iterated 10 times

amps




times

Difference between background and original waveform

amps

times




Jakub Kandra, INFN Padova

Background iterated 20 times




Difference between background and original waveform



Background iterated 30 times




Difference between background and original waveform



Background iterated 40 times




Difference between background and original waveform



Background iterated 50 times




Difference between background and original waveform



Jakub Kandra, INFN Padova

Background iterated 60 times





Difference between background and original waveform


Background iterated 70 times

amps



Difference between background and original waveform


times




Background iterated 80 times



Difference between background and original waveform



Signal waveform extracted using Markov algorithm



Breakdown voltages at temperatures for SiPMs



Index of SiPM	11		12		13		14		15	
Producer	FBK		FBK		FBK		FBK		Hamamatsu	
Dimension $[mm \times mm]$	1×1		3×3							
Pitch $[\mu m]$	15		15		15		1 5		50	
	Breakdown		Breakdown		Breakdown		Breakdown		Breakdown	
	voltage $[V_0]$		voltage $[V_0]$		voltage $[V_0]$		voltage $[V_0]$		voltage $[V_0]$	
Temperature [°]	non-irr	irr								
20	33.13	32.63	33.15	32.03	32.56	31.78	32.43	32.17	<u>38.16</u>	37.66
10	33.78	32.20	32.06	31.77	31.93	31.60	32.22	31.89	37.73	37.08
0	31.16	28.45	31.53	31.37	31.81	31.26	31.31	31.50	37.76	37.00
-10	31.36	31.64	31.55	30.25	30.79	30.97	31.20	31.16	37.39	36.65
-20	31.19	31.06	30.95	30.94	31.20	30.71	31.43	31.05	36.88	36.16
-30	31.53	30.79	31.25	30.69	30.81	30.49	30.65	30.54	35.77	35.83
-35	30.45	30.50	30.76	30.44	30.62	30.32	30.41	29.85	35.73	35.63
-40	29.97	30.16	30.59	30.40	30.05	30.29	30.48	30.35	35.26	36.66

• For Hamamatsu device the breakdown voltages agree with previous measurements

• For some FBK devices, the breakdown voltages do not agree with previous measurements.

• After finishing studies related to breakdown voltage, we will continue with extraction time resolution

Fit of photon spectra



SiPM #13 700 events 600 500 Number of 300 200 400600 1400 200Residual of Histogram of ds1_plot_x and Projection of dmodel 60 E Residual 20 - 20 - 40 60 200 400 600 800 1000 1200 1400 Pull of Histogram of ds1_plot_x and Projection of dmodel Pulls 0 200 400 600 800 1000 1200 1400 178

ADC counts [ubits]

• Photon spectra are extracted

- Photon spectra are fitted sum of convolution poissonian and gaussian distribution to extract gain and average of photons
- From gain we can extract breakdown voltage

Fit of time resolution

- Split photon spectra into two regions: first photon peak (green) and other photon peaks (red)
- For #13 SiPMs, we fit first photon peak (green) and all photon peaks (green + red)

