GWADW2016 - Impact of Recent Discoveries on Future Detector Design



Contribution ID: 81

Type: poster

Reduction of Seismic Coupling Noise for TOBA

Tuesday, 24 May 2016 18:00 (0 minutes)

TOBA(TOrsion-Bar Antenna) is a gravitational wave detector using a torsion pendulum. The resonant frequency of torsional motion is ~1mHz, therefore it is sensitive to gravitational waves at lower frequency band (0.1-10Hz) even on the ground. Two prototype TOBAs were developed and they achieved strain sensitivity h ~ 1e-8/rtHz @0.1Hz - 1e-10/rtHz @5Hz. One of the dominant noise sources for them was seismic noise, especially coupling noise from translational seismic motion to test mass rotation. In order to improve the sensitivity and detect gravitational waves, it is indispensable to reduce this coupling noise. Here we show the specified five coupling routes and reduction methods for them.

Primary author: SHIMODA, Tomofumi (University of Tokyo)

Co-authors: SHODA, Ayaka (National Astronomical Observatory of Japan); YAMAMOTO, Kazuhiro (Institute for Cosmic Ray Research); ANDO, Masaki (University of Tokyo); ARITOMI, Naoki (University of Tokyo); TAKA-HASHI, Ryutaro (National Astronomical Observatory of Japan); ASO, Yoichi (National Astronomical Observatory of Japan); MICHIMURA, Yuta (University of Tokyo); KUWAHARA, Yuya (University of Tokyo)

Presenter: SHIMODA, Tomofumi (University of Tokyo)

Session Classification: Poster Session