

Contribution ID: 36

Type: **not specified**

## **A two-stage torsion pendulum for ground testing free fall conditions on two degrees of freedom.**

*Thursday, 7 July 2016 10:20 (20 minutes)*

A torsion pendulum with 2 soft degrees of freedom (DOF), realized by off-axis cascading two torsion fibers, has been built and operated. This instrument allows simultaneous measurement, of force and torque acting on the suspended test mass, approaching free-fall condition down to a few mHz. It was developed for ground testing on two DOFs, before the launch, of the Gravitational Reference Sensor of the LISA-Pathfinder mission. We will report on the results of some measurement campaigns devoted in particular to the characterization of force to torque and torque to force actuation cross-talks. We will also discuss further possible upgrades of the facility for application for ground testing of future space gravitational wave antennas or other space experiments requiring drag-free control.

**Primary author:** BASSAN, Massimo (ROMA2)

**Co-authors:** GRADO, Aniello (INAF-OAC e INFN NA); CAVALLERI, Antonella (3CNR-Fondazione Bruno Kessler e INFN-TIFPA); VETRUGNO, Daniele (TIFP); GARUFI, Fabio (NA); DE MARCHI, Fabrizio; PUCACCO, Giuseppe (ROMA2); MILANO, Leopoldo; DI FIORE, Luciano (NA); DE LAURENTIS, Martina (NA); VISCO, Massimo (ROMA2); HUELLER, Mauro (TIFP); FINETTI, Noemi (FI); DOLESI, Rita (TIFP); DE ROSA, Rosario (NA); STANGA, Ruggero (FI); VITALE, Stefano (TN); WEBER, William (TIFP)

**Presenter:** DI FIORE, Luciano (INFN Napoli)

**Session Classification:** Gravitational Waves