

In beam PET data analysis and filtering

E. Fiorina, V. Ferrero, F. Pennazio University of Torino and INFN



INSIDE meeting, June 14th 2016

In-beam PET operating workflow



Data with proton beams

Date	Data set	Treatment	Phantom
2016/02/07	fantoccio A	2D slices, E=75 MeV, E=105 MeV/u	Homogeneous PMMA
2016/02/07	fantoccio B	2D slices, E=75 MeV, E=105 MeV/u	PMMA with air gap
2016/02/07	fantoccio D	Real treatment plan, E = 76-124 MeV/u	Homogeneous PMMA
2016/04/03	fantoccio 1	2D slice, E=144.5 MeV/u	Homogeneous PMMA
2016/04/03	ossoaria	2D slice, E=144.5 MeV/u	PMMA with bone and air gap
2016/04/03	fantoccio 2	Real treatment plan, E = 75-134 MeV/u	Homogeneous PMMA
2016/04/03	rando	Real treatment plan, E = 75-134 MeV/u	Rando
2016/06/07	cubo2-5	3D cube, 6x6x6cm ³ , E = 129-164 MeV/u	Homogeneous PMMA
2016/06/07	pt1-2-3-4	Real treatment plan, E = 83-150MeV/u / E = 62-129MeV/u	Homogeneous PMMA
2016/06/08	fetta 1-8	2D slice, 6x6cm ² / 8x8 cm ² , E=144.5 MeV/u	Homogeneous PMMA







Torino INSIDE group

INSIDE meeting, Roma, June 14th 2016



TOT window calibration (1)



TOT window calibration (2)



Shift of the photopeak position wrt the position during calibration with Ge rods was detected during in-beam acquisition.

chip	channel	mean Ge rods	Mean proton beam
0	43	495.6	505
1	33	378.7	391.6
2	4	351.8	364.6
3	54	380.7	393

During in-beam acquisitions, at the FPGA Tx level, a "large" TOT window is used to be sure to acquired all events of interest.

2016, 6th June \rightarrow TOT window +/- 40

Lutetium background (1)

Evaluation of Lutetium background contribution: two equivalent intervals of time before the treatment (background) and during after-treatment were analysed.



Lutetium background (2)



TOT spectra in coincidence (1)



TOT spectra in coincidence (2)



TOT spectra in coincidence (3)



Photopeak event selection example (1)



TOT window of 10% wrt the photopeak

TOT window of 6.7% wrt the photopeak

Simulation

Data set: fantoccio 2 (beam test April 3^{rd} , 2016), protons, real treatment plan, $E_{min} = 75 \text{ MeV/u}$, $E_{max} = 134 \text{ MeV/u}$

Torino INSIDE group

INSIDE meeting, Roma, June 14th 2016



Photopeak event selection example (2)



3D image comparison



Real treatment plan comparison (1)



Real treatment plan comparison (2)



Real treatment plan comparison (2)



Real treatment plan comparison (3)



Torino INSIDE group

INSIDE meeting, Roma, June 14th 2016

Real treatment plan comparison (3)



Torino INSIDE group

INSIDE meeting, Roma, June 14th 2016

Real treatment plan comparison (4)



Chips with anomalous response (1)



INSIDE meeting, Roma, June 14th 2016

Chips with anomalous response (2)



Backup slides

Torino INSIDE group

INSIDE meeting, Roma, June 14th 2016



TOT window calibration



PET image comparison



INSIDE meeting, Roma, June 14th 2016

Profile analysis



PMMA phantom



PMMA phantom



PMMA + air gap phantom



PMMA + air gap phantom

