

## The Pomeron spin-flip and its measurements

*Tuesday, 11 September 2018 17:05 (25 minutes)*

We investigate the spin-flip component of the Pomeron using the single spin asymmetry,  $A_N(t)$ , arising from Coulomb-nuclear interference (CNI) in small-angle elastic scattering.

The study of elastic proton-nucleus scattering is important because it suppresses or excludes the contributions from iso-vector Reggeons which are predominantly spin-flip, and might have a significant impact on the results of fixed-target experiments at RHIC.

However, previous theoretical attempts fail to explain the recent data from the RHIC on polarized proton-gold scattering, exposing a nontrivial  $t$ -dependence of  $A_N$ , strongly contradicting theoretical predictions. We found that the absorptive corrections in the Coulomb amplitude of  $pA$  elastic scattering play a significant role. Namely, interference of ultra-peripheral and central collisions leads to a dramatic change in  $A_N(t)$ . We also include less significant corrections from Gribov inelastic shadowing,  $NN$  correlations, and Odderon.

Finally, we present that the non-zero hadron spin-flip amplitude is required to describe the single spin asymmetry proton and nuclear data. This allows us to make conclusions about the spin-flip pomeron behavior and its impact.

**Primary author:** KRELINA, Michal (Universidad Técnica Federico Santa María)

**Co-author:** Prof. KOPELIOVICH, Boris (UTFSM)

**Presenter:** KRELINA, Michal (Universidad Técnica Federico Santa María)

**Session Classification:** Spin physics in Nuclear Reactions and Nuclei

**Track Classification:** Spin Physics in Nuclear Reactions and Nuclei