





Interaction with the Geant4 kernel – part 2

GAP Cirrone

INFN – Laboratori Nazionali del Sud



Part I: Sensitive Detectors



Sensitive Detector (SD)

- A **logical volume** becomes **sensitive** if it has a pointer to a **sensitive detector** (`G4VSensitiveDetector`)
 - A sensitive detector can be instantiated **several times**, where the instances are assigned to **different logical volumes**
 - Note that SD objects must have *unique detector names*
 - A logical volume can **only** have **one SD object attached** (But you can implement your detector to have many functionalities)
- **Two possibilities** to make use of the SD functionality:
 - Create **your own sensitive detector** (using class inheritance)
 - Highly **customizable**
 - Use Geant4 **built-in tools**: Primitive scorers

Adding sensitivity to a logical volume

- Create an instance of a sensitive detector and register it to the SensitiveDetector Manager
- Assign the pointer of your SD to the logical volume of your detector geometry
- Must be done in `ConstructSDandField()` of the user geometry class

```
G4VSensitiveDetector* mySensitive  
    = new MySensitiveDetector (SDname="/MyDetector");
```

} create instance

```
G4SDManager* sdMan =G4SDManager::GetSDMpointer();  
sdMan->AddNewDetector (mySensitive);
```

} Register to the SD manager

```
SetSensitiveDetector ("LVname", mySensitive);
```

} assign to logical volume

→
Name of the logical volume

Adding sensitivity to a logical volume - variant

- Create an instance of a sensitive detector and register it to the SensitiveDetector Manager
- Assign the pointer of your SD to the logical volume of your detector geometry
- Must be done in `ConstructSDandField()` of the user geometry class

```
G4VSensitiveDetector* mySensitive  
    = new MySensitiveDetector (SDname="/MyDetector") ;
```

} create instance

```
G4SDManager* sdMan =G4SDManager::GetSDMpointer() ;  
sdMan->AddNewDetector (mySensitive) ;
```


} Register to the SD manager


```
logicVol->SetSensitiveDetector (mySensitive) ;
```

} assign to logical volume

←
Pointer of the logical volume


Part II: Native Geant4 scoring






Extract useful information

- Geant4 provides a number of **primitive scorers**, each one **accumulating one physics quantity** (e.g. total dose) for an event
- This is alternative to the **customized sensitive detectors** (see later in lecture #3), which can be used with full flexibility to gain complete control
- It is **convenient** to use primitive scorers **instead** of **user-defined sensitive detectors** when:
 - you are not interested in recording each individual step, but **accumulating physical quantities** for an event or a run
 - you have **not too many** scorers



G4MultiFunctionalDetector

- `G4MultiFunctionalDetector` is a concrete class derived from `G4VSensitiveDetector`
- It should be **assigned to a logical volume** as a **kind of (ready-for-the-use) sensitive detector**
- It takes an **arbitrary number** of `G4VPrimitiveScorer` classes, to define the **scoring quantities** that you need
 - Each `G4VPrimitiveScorer` accumulates **one physics quantity** for each physical volume
 - E.g. `G4PSDoseScorer` (a concrete class of `G4VPrimitiveScorer` provided by Geant4) **accumulates dose** for each cell
- By using this approach, **no need to implement sensitive detector and hit classes!**



G4VPrimitiveScorer

- Primitive **scorers** (classes derived from **G4VPrimitiveScorer**) have to be registered to the **G4MultiFunctionalDetector**
 - ->**RegisterPrimitive** () ,
 - ->**RemovePrimitive** ()
- They are designed to **score one kind of quantity** (surface flux, total dose) and to **generate one hit collection** per event
 - automatically named as
<MultiFunctionalDetectorName>/<PrimitiveScorerName>
 - **hit collections** can be **retrieved** in the **EventAction** or **RunAction** (as those generated by sensitive detectors)
 - **do not share** the same **primitive scorer object** among **multiple G4MultiFunctionalDetector** objects (results may **mix up!**)
 - Create as many instances of the scorer as needed

myCellScorer/TotalSurfFlux
myCellScorer/TotalDose

For example ...

```
MyDetectorConstruction::ConstructSDandField()
```

```
{
```

```
G4MultiFunctionalDetector* myScorer = new  
G4MultiFunctionalDetector("myCellScorer");
```

instantiate multi-
functional detector

```
myCellLog->SetSensitiveDetector(myScorer);
```

attach to volume


```
G4VPrimitiveScorer* totalSurfFlux = new  
G4PSFlatSurfaceFlux("TotalSurfFlux");  
myScorer->RegisterPrimitive(totalSurfFlux);
```

create a primitive
scorer (surface
flux) and register
it

```
G4VPrimitiveScorer* totalDose = new  
G4PSDoseDeposit("TotalDose");  
myScorer->RegisterPrimitive(totalDose);
```

create a primitive
scorer (total dose)
and register it

```
}
```




Some primitive scorers that you may find useful


- Concrete Primitive Scorers (→ Application Developers Guide 4.4.5)
 - Track length
 - G4PSTrackLength, G4PSPassageTrackLength
 - Deposited energy
 - G4PSEnergyDeposit, G4PSDoseDeposit
 - Current/Flux
 - G4PSFlatSurfaceCurrent, G4PSSphereSurfaceCurrent, G4PSPassageCurrent, G4PSFlatSurfaceFlux, G4PSCellFlux, G4PSPassageCellFlux
 - Others
 - G4PSMinKinEAtGeneration, G4PSNofSecondary, G4PSNofStep, G4PSCellCharge

A closer look at some scorers

SurfaceCurrent :
Count number of
injecting particles
at defined surface.




CellFlux :
Sum of L / V of
injecting particles
in the geometrical
cell.




SurfaceFlux :
Sum up
 $1/\cos(\text{angle})$ of
injecting particles
at defined surface

L : Total step length in the cell
 V : Volume




V : Volume



G4VSDFilter

- A `G4VSDFilter` can be **attached** to `G4VPrimitiveScorer` to define **which kind of tracks** have to be scored (e.g. one wants to know surface flux of **protons only**)
 - `G4SDChargeFilter` (accepts only **charged** particles)
 - `G4SDNeutralFilter` (accepts only **neutral** particles)
 - `G4SDKineticEnergyFilter` (accepts tracks in a defined range of **kinetic energy**)
 - `G4SDParticleFilter` (accepts tracks of a **given particle type**)
 - `G4VSDFilter` (base class to create user-customized filters)



For example ...

```
MyDetectorConstruction::ConstructSDandField()
```

```
{  
    G4VPrimitiveScorer* protonSurfFlux  
    = new G4PSFlatSurfaceFlux("pSurfFlux");  
    G4VSDFilter* protonFilter = new  
        G4SDParticleFilter("protonFilter");  
    protonFilter->Add("proton");  
  
    protonSurfFlux->SetFilter(protonFilter);  
  
    myScorer->RegisterPrimitive(protonSurfFlux);  
}
```


} create a primitive
scorer (**surface
flux**), as before

} create a **particle
filter** and add
protons to it

} **register** the **filter**
to the primitive
scorer


register the **scorer** to the
multifunc detector (as
shown before)

How to retrieve information - part 1



- At the end of the day, one wants to **retrieve** the information from the scorers
 - **True** also for the **customized** hits collection
- Each scorer **creates a hit collection**, which is **attached** to the **G4Event** object
 - Can be retrieved and read at the **end of the event**, using an integer ID
 - Hits collections mapped as **G4THitsMap<G4double>*** so can loop on the individual entries
 - **Operator += provided** which automatically sums up all hits (no need to loop manually)

How to retrieve information - part 2



	Scorer 1	Scorer 2	HCoFThisEvent
Event#1	(0, 5.32)	(0, 1.43) (2, 7.41)	
Event#2	(1, 1.12)	(0, 1.11)	
Event#3	<i>empty</i>	<i>empty</i>	
...	
Event#N	(0, 7.12) (1, 1.15)	(0, 2.0)	

Annotations for Event#1:

- copyNb (key) points to the first element of the tuple (0).
- Quantity to be scored by the scorer (e.g. energy) points to the second element of the tuple (5.32).

How to retrieve information – part 2


```
//needed only once
G4int collID = G4SDManager::GetSDMpointer()
    ->GetCollectionID("myCellScorer/TotalSurfFlux");
G4HCofThisEvent* HCE = event->GetHCofThisEvent();
G4THitsMap<G4double>* evtMap =
    static_cast<G4THitsMap<G4double>*>
    (HCE->GetHC(collID));
for (auto pair : *(evtMap->GetMap())) {
    G4double flux = *(pair.second);
    G4int copyNb = *(pair.first);
}
```

Get **ID** for the collection (given the name)

Get **all HC** available in this event

Get the HC with the **given ID** (need a cast)

Loop over the **individual entries** of the HC: the key of the map is the copyNb, the other field is the real content



Hands-on session

- Task4
 - Task4c: Native scoring
- `http://geant4.lngs.infn.it/alghero2018/task4`