



Contribution ID: 166

Type: **Oral**

The effect of the positive Q-value neutron transfers on near-barrier heavy-ion fusion

Tuesday, 14 May 2019 17:20 (20 minutes)

In near-barrier fusion reactions with heavy-ions, the coupling effect of the positive Q-value neutron transfers (PQNT) is still a complex and unsolved problem. For studying this effect, the fusion excitation functions of the typical systems, such as $^{32}\text{S}+^{90,94,96}\text{Zr}$, $^{112,116,120,124}\text{Sn}$, were measured by using an electrostatic deflector setup at CIAE. In this talk, the recent experimental results measured at CIAE will be reviewed, with special emphasis on the effect of the positive Q-value neutron stripping channels of $^{18}\text{O}+^{50}\text{Cr}$, ^{58}Ni , ^{74}Ge . Additionally, considering the current inconsistent experimental data and theoretical analysis, the concept of residual enhancement (RE)[1] that mainly aims for reducing the additional uncertainties was proposed to extract a reliable quantitative PQNT effect. More details will be given in this talk.

Reference

[1] H. M. Jia, C. J. Lin, L. Yang et al., Phys. Lett. B 788,43 (2016).

Primary author: Dr JIA, Huiming (China Institute of Atomic Energy)

Presenter: Dr JIA, Huiming (China Institute of Atomic Energy)

Session Classification: Session X (Parallel Session)