



Contribution ID: 151

Type: Poster

Study of the neutron-rich region in the vicinity of ^{208}Pb via multinucleon transfer reactions

The production of neutron-rich heavy nuclei in the vicinity of $N = 126$ shell closure has received a boost of interest recently, since the properties of these nuclei are fundamental for the understanding of the actual path of r-process and synthesis of the heavy elements. The nuclear structure studies in the region close to the double magic ^{208}Pb nucleus, where benchmark cases are expected, may significantly improve our understanding of the effective interaction. Therefore, it is of great importance to overcome the difficulties in production of those neutron-rich heavy nuclei and in their direct identification with present techniques. A promising mechanism for their production is the use of the multinucleon transfer (MNT) reactions. This mechanism was extensively used for the nuclear structure and dynamics studies, mostly for the neutron-rich nuclei [1,2] in vicinity of the light partner.

A recent development of neutron-rich heavy-ion beams paved a way to populate the neutron-rich region around the heavy partner by the use of the MNT [3,4]. We performed a first measurement of the transfer reactions in the $^{94}\text{Rb} + ^{208}\text{Pb}$ system at energy close to the Coulomb barrier at HIE-ISOLDE. The high-resolution MINIBALL spectrometer, coupled to a position sensitive silicon detector, provided the selection of the transfer channels via the associated γ rays. The yields in the neutron transfer channels will be presented and compared with the reaction models. The preliminary results demonstrate that the dominant transfer flux is towards the neutron-rich Pb isotopes, showing that the MNT with the use of the neutron-rich beams is a suitable reaction mechanism to populate moderately neutron rich heavy nuclei.

1. L. Corradi, G. Pollarolo, S. Szilner, *J. of Phys. G* 36 (2009) 113101.
2. D. Montanari et al., *Phys. Rev. Lett.* 113 (2014) 052501.
3. T. Mijatović et al., *Phys. Rev. C* 94 (2016) 064616.
4. F. Galtarossa et al., *Phys. Rev. C* 97 (2018) 054606.

Primary authors: COLOVIC, Petra (Ruder Boskovic Institute); ILLANA SISON, Andres (LNL); SZILNER, Suzana (Ruder Boskovic Institute); Dr VALIENTE-DOBON, Javier (LNL); BENZONI, G. (Istituto Nazionale di Fisica Nucleare, Sezione di Milano, I-20133 Milano, Italy); BOSO, Alberto (National Physical Laboratory); BORGE, M. J. G. (Instituto de Estructura de la Materia, CSIC, E-28006 Madrid, Spain); CERUTI, Simone (MI); CORRADI, Lorenzo (LNL); Dr CUBISS, J. G. (Department of Physics, University of York, York, United Kingdom); DE ANGELIS, Giacomo (LNL); FIORETTO, Enrico (LNL); GALTAROSSA, Franco (LNL); GAFFNEY, L. P. (ISOLDE, CERN, Geneva, Switzerland); JURADO-GOMEZ, M. L. (Instituto de Física Corpuscular CSIC, Valencia, Spain); KRÖLL, Thorsten (TU Darmstadt); MARCHI, Tommaso (INFN - LNL); MENEGAZZO, Roberto (PD); Dr MENGONI, Daniele (University and INFN Padova); MIJATOVIC, Tea (Ruder Boskovic Institute); NAPOLI, Daniel Ricardo (LNL); PODOLYAK, Zsolt (University of Surrey); RECCHIA, Francesco (University and INFN Padova); Dr TESTOV, Dmitry (University and INFN Padova)

Presenter: COLOVIC, Petra (Ruder Boskovic Institute)

Session Classification: POSTER SESSION