



Contribution ID: 117

Type: poster

Seeded Self Modulation of Transversely Asymmetric Long Proton bunches in Plasma

Monday, September 16, 2019 7:00 PM (1 hour)

The AWAKE experiment at CERN [1] recently demonstrated the world's first acceleration of electrons in a proton-driven plasma wakefield accelerator [2]. Such accelerators show great promise for a new generation of linear e-p colliders using GV/m accelerating fields. Effectively driving a wakefield in AWAKE requires 100-fold self-modulation of the 12 cm Super Proton Synchrotron (SPS) proton beam using a plasma-driven process which must be carefully controlled to saturation [3,4]. Previous works have modeled this process assuming cylindrical symmetry of the transverse space and momentum profiles of the proton bunch. In this work, 3D particle-in-cell simulations are used to investigate the self-modulation of non-round beams. Implications of such effects for effectively sustaining resonant wakefields are discussed.

[1] P. Muggli et al. (AWAKE Collaboration), *Plasma Physics and Controlled Fusion*, 60(1) 014046 (2017)

[2] M. Turner et al. (AWAKE Collaboration), *Phys. Rev. Lett.* 122, 054801 (2019)

[3] E. Adli et al. (AWAKE Collaboration), *Phys. Rev. Lett.* 122, 054802 (2019)

[4] E. Adli et al. (AWAKE Collaboration), *Nature* 561, 363–367 (2018)

Primary author: PERERA, Aravinda (University of Liverpool and Cockcroft Institute)

Co-authors: MUGGLI, Patric (Max-Planck-Institut für Physik); VIEIRA, Jorge (Instituto Superior Tecnico); Prof. WELSCH, Carsten (University of Liverpool and Cockcroft Institute)

Presenter: MUGGLI, Patric (Max-Planck-Institut für Physik)

Session Classification: Cheese and Wine Poster Session 1

Track Classification: WG1 - Electron beams from plasmas