

Sample paper for the `cimento` class

S. SUMMERS⁽¹⁾, J. GREY⁽¹⁾, H. MCCOY⁽¹⁾, R. DRAKE⁽¹⁾
W. WORTHINGTON⁽¹⁾ and MR. M⁽²⁾(*)

⁽¹⁾ *Xavier's school for gifted youngsters - Westchester, N.Y.*

⁽²⁾ *The Brotherhood of Evil Mutants - Russel Square, London, UK*

Summary. — This sample paper is intended to briefly expose the differences between a standard L^AT_EX article and a paper based upon the `cimento` class.

PACS 00.00 – By the way, which PACS is it, the 00.00? GOK..

PACS ---.--- – ...

1. – Description

This is a very short sample paper distributed with the class `cimento`. It is just a collection of examples about the syntax of commands which behave in a different way from the standard L^AT_EX and/or new commands not defined in L^AT_EX.

This sample is not meant to provide documentation for the class; to obtain the class ‘manual’ typeset the main distribution file, `cimento.dtx`.

You can also use this file as a template for your own paper: copy it to another filename and then modify as needed.

2. – Examples

2.1. *Tables.* – Tables I, II and III inserted at this point.

2.2. *Mathematics.* – Here is a lettered array (1), with eqs. (1*a*) and (1*b*):

$$(1a) \quad dx_F = 1.2 \cdot 10^3 \text{ cm}, \quad \text{where } F = \text{Fermi}$$

$$(1b) \quad \phi_i = i\pi$$

2.3. *Citations.* – We’re almost done, just some citations [1] and we will be over [2, 3].

(*) The bad fellow.

TABLE I. – *Prices of important items.*

Ice-cream	1500	lire
More ice-cream	15000	lire
Crocodile	1500	dollars
Phone call	.25	dollars
X-Men	1.25	dollars
Dollar	1	dollars

APPENDIX A.

Let us go then, you and I . .

* * *

This work was produced, supported and perpetrated by S. Frabetti under the auspices of the Italian Physical Society. Grazie to M. Missiroli for the valuable collaboration.

REFERENCES

- [1] BOCCACCIO G. and DE CAMÕES L., *Phys. Rev. A*, **13** (1999) 12; **69** (999) 1666.
- [2] PULCI L., preprint INFN 8181.
- [3] BRAGG B., *Tender comrade*, in *Workers Playtime*, edited by TIZIO A. and CAIO B. (Unexeditor, Bologna) 1997, pp. 1-10.

TABLE II. – *Same thing, but formatted using ! and ?.*

Ice-cream	1500	lire
More ice-cream	15000	lire
Crocodile	1500	dollars
Phone call	.25	dollars
X-Men	1.25	dollars
Dollar	1	dollars

TABLE III. – *Again, this time with `narrowtabular`*

Ice-cream	1500	lire
More ice-cream	15000	lire
Crocodile	1500	dollars
Phone call	.25	dollars
X-Men	1.25	dollars
Dollar	1	dollars