GRAvitational-waves Science&technology Symposium (GRASS 2019)



Contribution ID: 17

Type: not specified

Thermal fluctuations in an out-of-equilibrium state

Friday, 25 October 2019 09:30 (25 minutes)

Thermal noise manifests itself as a tiny variance around the mean value of an observable x of a physical system. Usually too small to be noticed, it becomes important in an increasing number of applications, such as quantum systems operated close to their ground state, MEMS and NEMS, frequency standards, or the next generation of gravitational wave detectors¹. Its understanding is thus fundamental.

When in equilibrium, the Fluctuation-Dissipation Theorem (FDT) is a cardinal tool that allows us to couple the fluctuations of x, to the temperature of the system in the form of the Equipartition Principle (EP). Unfortunately, this assumption is often not possible. Our goal is thus probing its validity out of this region.

In our experiment we study a system in a Non-Equilibrium Steady State: a silicon micro-cantilever subject to a heat flux due to a laser heating. We measure the thermal noise driven flexion and torsion and quantify the amplitude of fluctuations with an effective temperature T^{eff} , extending the FDT following recent theoretical developments²:

\begin{equation}

k_B T^{eff} = k\langle x^2\rangle

\end{equation}

with k_B the Boltzmann constant, k the stiffness, $\langle x^2 \rangle$ the mean square of the observable, i.e. the thermal noise. Whilst in general an excess of fluctuations is expected, in our case a deficit is instead observed, as in Geitner³. Thermal noise is below the average temperature T^{avg} of the system, both for flexion and torsion modes.

- [1] Harry, G. M. et al. (2006). Appl. Opt. 45, 1569
- [2] Komori, K. et al. (2018). Phys. Rev. D 97, 102001
- [3] Geitner, M. et al. (2017). Phys. Rev. E 95, 032138

Primary authors: Mr FONTANA, Alex (Univ Lyon, ENS de Lyon, UCBL, CNRS, Laboratoire de Physique, F-69342 Lyon, France); BELLON, Ludovic (Université de Lyon, ENS de Lyon, UCBL, CNRS, Laboratoire de Physique)

Presenter: Mr FONTANA, Alex (Univ Lyon, ENS de Lyon, UCBL, CNRS, Laboratoire de Physique, F-69342 Lyon, France)

Session Classification: Thermal noise in and out of thermodynamic equilibrium