Lattice2010



Contribution ID: 56

Type: not specified

Improving many flavor QCD simulation using multiple GPU's

Tuesday, 15 June 2010 18:00 (5 minutes)

The Large Hadron Collider (LHC) experiment has begun to trap the tail of Higgs boson and to find the evidence of a theory beyoned the standard model (SM). Motivated from the unnatural feature of elementary scalar Higgs field, many models beyond the SM have been proposed and studied. The technicolor (TC) model is one of them and describes the origin of electroweak symmetry breaking without introducing elementary scalar particles. The TC is a scaled-up version of QCD, but should have different fetures from the simple scaled-up QCD. The most promissing TC models should have a slowly running (=walking) coupling and a large mass anomalous dimension. The non-perturavative feature of such models has been investigated using lattice technique over the last years. Especially the gauge theories with many fermions, which realizes the walking feature, are very attractive. Simulating lattice gauge theory with many dynamical fermions is, however, a heavier task than that for QCD, since the computational cost is roughly proportional to the number of dynamical fermions. Improving the simulation algorithm with many dynamical flavors becomes more important. In this poster we show the performance improvements on the HMC algorithm using multiple GPU's suitable to the many flavor simulations. We also present the preliminary results on the runnning coupling constant and the mass anomalous dimension for the SU(3) gauge theory with ten dynamical fermions (ten-flavor QCD) using the Schroedinger functional method.

Please, insert your presentation type (talk, poster)

poster

Primary author: ISHIKAWA, Kenichi (Hiroshima University, Department of Physical Science)

Co-authors: HAYAKAWA, Masashi (Nagoya University, Department of Physics); YAMADA, Norikazu (KEK and The Graduate University for Advanced Studies (Sokendai)); TAKEDA, Shinji (Kanazawa University, School of Mathematics and Physics); UNO, Shunpei (Nagoya University, Department of Physics); OSAKI, Yusuke (Hiroshima University, Department of Physical Science)

Presenter: ISHIKAWA, Kenichi (Hiroshima University, Department of Physical Science)

Session Classification: Poster session

Track Classification: Algorithms and machines