Lattice2010



Contribution ID: 222

Type: not specified

Search for the IR fixed point in the Twisted Polyakov Loop scheme (II)

Tuesday, 15 June 2010 11:30 (20 minutes)

We present our updated study of the nonperturbative running coupling constant in Twisted Polyakov Loop (TPL) scheme.

We study the larger lattice size and the lower β region ($\beta \ge 4.5$) in the case of SU(3) Nf=12.

We discuss in detail the step scaling function, the running coupling constant, and the nonperturbative beta function using these updated data.

We also discuss the comparison with the perturbative two-loop results.

Please, insert your presentation type (talk, poster)

talk

Primary author: ITOU, Etsuko (Osaka University)

Co-authors: LIN, C.-J.David (National Chiao-Tung University, and National Center for Theoretical Sciences); SHIN-TANI, Eigo (RIKEN-BNL Research Center); MATSUFURU, Hideo (High Energy Accelerator Research Organization (KEK)); OHKI, Hiroshi (Osaka University); KURACHI, Masafumi (Tohoku University); YAMAZAKI, Takeshi (University of Tsukuba); AOYAMA, Tatsumi (Nagoya University); ONOGI, Tetsuya (Osaka University)

Presenter: ITOU, Etsuko (Osaka University)

Session Classification: Parallel 14: Applications beyond QCD

Track Classification: Applications beyond QCD