

# Field theory dualities via string dualities

Marco Fazzi

Milano-Bicocca



*H2020 MSCA COFUND  
G.A. 754496*



I'm a HEP-TH person. I work with:

string theory

quantum field theory

geometry

My past research:

AdS/CFT

supersymmetric CFTs


F-theory

the common theme is:


duality

two descriptions of same physics.  
each is useful, and more adapted to certain regime.  
exploit both to calculate different observables


AdS/CFT



F-theory




supersymmetric CFTs




# FELLINI project

produce new such dualities  
between field theories  
(susy & non-susy)



**derive** them from known ones




embed field theory in string theory:  
**geometrize** the duality

one example


in 3d, matter fields can be dual  
to a gauge theory (with matter and interactions)

Dirac fermion



scalar field + gauge  
(special kinetic term: Chern-Simons, not Yang-Mills)

generalize this picture & create new dualities




conjectured duality tested exactly




each 'duality frame' has favorable characteristics,  
invisible in the other frames

why all this?



useful e.g. to theoretically model  
condensed matter systems



understand space of QFTs  
(especially non-susy,  
connecting dimensions)

progress:

we found a 'triality' in 3d with as little susy as possible

now construct generalization.

does it fit in a(n infinite) family?

does it extend to zero susy?

does it come from higher dimensions (e.g. 6d)?

secondment?

?

collaborations?

already many in Milano-Bicocca and Milano

organization?

workshop in Milan with other INFN members.  
invite collaborators for extended periods

long-term expectations?

tenure position

Thanks