

WP10 - Transfer of Knowledge

Elena Pedreschi

NEWS - Scientific Board March 2020 Meeting

Web site: risenews.df.unipi.it







Two of the main NEWS goals are:

- promote the collaboration among researches
- facilitate the Transfer of Knowledge (ToK) between research institutions and companies

It is important to coordinate all the activities specifically aimed to this target: direct collaborations, training courses, etc ...

These are exactly the objectives of the WP10

WP10 co-leaders: R.De Rosa, *E. Pedreschi*, R.Sia





Coordinate all the training activities:

- Maximize the transfer of knowledge among the participants
- Increase the research quality and competitiveness of the participants institutions

Provide trained personnel:

 Enhance personnel capabilities to be independent in the needed skills



WP10 Tasks



A list of specific tasks was identified, among the main actions of the project:

- Some tasks are more specifically related to selected activities of the project
- Some tasks are more general and involve all the participants.

A Task Leader is foreseen for each task in the work-package.





Task List and connections among WPs

- T10.1: Research-Industry ToK
- T10.2: GPD polarimeter for space applications
- T10.3: Electronics for Particle Physics and Space applications
- T10.4: Electrochemical techniques
- T10.5: High Speed Computing
- T10.6: Training courses

Task	Involved WPs
T10.1	WP2:WP8
T10.2	WP5
T10.3	WP5, WP6
T10.4	WP7
T10.5	WP2:WP8
T10.6	WP2:WP8

T10.3: Electronics for Particle Physics



Many researchers, from different research institutes and companies are involved in the development and construction of the Mu2e experiment:

- INFN, Italy, Europe
- University of Pisa, Italy, Europe
- HZDR Gelbe, Germany, Europe
- Fermilab, Illinois, Europe
- · Prisma Electronics, Greece, Europe
- Clever Operation, France, Europe





Istituto Nazionale







T10.1: Research - Industry Tok



Some companies related to NEWS (Prisma Electronics, Clever Operation and CAEN) are interested in:

- Partecipate in development of electronics for Mu2e experiment (Waveform Digitizer - DIRAC board)
- Engineer and market a version of DIRAC adaptable to different commercial applications, we have the new R4I -HAMLET Project financed by INFN

A company (CAEN) is interested in:

- To take an active part in electronic qualification tests
- Engineer and market some electronic cards (waveform digitizer DIRAC board)

This is a real example of Transfer of Knowledge among NEWS participants
















MU2E experiment @ Fermilab (1)



- Mu2e is an High Energy Physics experiment (see Simone introduction to NEWS)
- · Mu2e aims to explore physics beyond the Standard Model



Elena Pedreschi

NEWS Scientific Board Winter 2020

March 12, 2020



MU2E experiment @ Fermilab (2)

- Mu2e will operate in harsh environment.
 - > Radiation: TID 0.5krad / y, NIEL $6x10^11$ / cm² * year \rightarrow rad-hard components are needed
 - ightharpoonup High ightharpoonup Saturation effects on ferromagnetic nuclei
 - ➤ Vacuum → Heat transfer and degassing problems
 - ightharpoonup Maintenance complicated ightharpoonup cryostat will not be opened more often than once per year

Project must be realized in "high reliability mode", like an experiment in the space



Radiation Effects on Electronics

Long Term Effects:

- Total Inizing Dose (TID) → cumulative long term ionizing damage due to protons & electrons
- Displacement Damage (NIEL) → cumulative long term nonionizing damage due to protons, electrons & neutrons

Transient or single particle effects (SEE) \rightarrow caused by a single charged particle as it passes through a semiconductor (heavy ions & protons) \rightarrow Soft or Hard errors



Heat Transfer in vacuum

The fundamental modes of heat transfer are:

- Conduction \rightarrow transfer of energy between objects that are in physical contac
- Convection → transfer of energy between an object and its environment, due to fluid motion
- Radiation \rightarrow transfer of energy by the emission of electromagnetic radiation

In vacuum the heat is dispersed basically by conduction (no convection)





Component choice

The presence of radiation, B field and vacuum pose stringent requirements on the components

Crucial steps for the success of the design are:

- Choose components that meet the specifications (Clever Operation & INFN)
- · Qualify independently all the main components
- Test if they are compatible one to the other

Strong collaboration between NEWS partners to solve the problem



Radiation tests (1)

Several tests (component & board level) were performed

University of Pisa (Nuclear Engineering Department), HZDR, CAEN and INFN have collaborated for the success of this item:

- University of Pisa and HZDR reserchers performed accurate Montecarlo simulations to define doses
- Single components tests (TID) @ HZDR gELBE facility (INFN Pisa and HZDR)
- Full board test (TID) @ ENEA Casaccia facility (INFN and CAEN)
- Neutron irradiation tests (NIEL) @FNG facility in Frascati (INFN)




Radiation tests (2)

Some test are scheduled in the next period:

- Single component tests (SEU) @ Warrenville Hospital, Warrenville, Illinois → Summer 2020 - data not yet decided (INFN & Fermilab)
- Full board test (TID) @ENEA Casaccia → May 2020 (INFN & CAEN)
- Neutron irradiation tests (NIEL) @ HZDR gELBE facility \rightarrow Summer 2020 data not yet decided (INFN Pisa and HZDR)

Single Component Tests @ HZDR gELBE





- HZDR gELBE:
 - > Collimated gamma beam up 15 MeV
 - > Exstimated dose of 18.6 krad/h @ 600 uA

Elena Pedreschi

NEWS Scientific Board Winter 2020

March 12, 2020

Ø 7mm, 10mm, 13mm, 16mm



Tests @ HZDR gELBE - People



Elena Pedreschi

NEWS Scientific Board Winter 2020

March 12, 2020

Full Board Test @ ENEA facility





- ENEA Casaccia:
 - > Co6o source
 - Dose is function of distance (2 krad/h max)

Elena Pedreschi

NEWS Scientific Board Winter 2020

March 12, 2020

Test @ ENEA - People





NEWS Scientific Board Winter 2020

NIELTest @ FNG facility





- Frascati Neutron Generator (FNG):
 - > Up to 10^11 14 MeV neutrons/s
 - > Isotropic Source, flux scales with r^2
 - > Calibrated at 3% level using alpha particles

Magnetic Field exposure tests





- @ INFN LASA laboratory:
 - Single component tests (DC-DC converters)
 - > Up to 1.2 T of magnetic field for different spatial orientations



DCDC DEMO BOARD



Training courses (T10.6)

Many tests were performed, each test was done in different laboratory with different characteristics:

- The test participants had to follow specific training courses to access and use each individual facility
- Researchers from different research institutes and Engineers from different companies gaining experience with this kind of harsh environment (rad hard, high magnetic field and vacuum)
- Increase in the level of knowledge and competitiveness for all the participants

Conclusions



- Researchers from different research institutions (INFN, University of Pisa, HZDR, Fermilab) and companies (Prisma Electronics, Clever Operation) envolved in Electronics for Particle Physics (T10.3) collaborated and shared their knowledge to design a waveform digitizer for harsh environment (T10.1)
- The research quality and competitiveness of the participants institutions was increased
- Specific training courses were attended and participants were able to increase their knowledge and enhance their personnel capabilities (T10.6)

Thank you for your time!