XIX International Workshop on Neutrino Telescopes



Contribution ID: 4

Type: Parallel Contributed Talk

Possible indication of non-standard neutrino interactions from NOvA and T2K

Friday, 19 February 2021 10:00 (20 minutes)

The latest data of the two long-baseline accelerator experiments NO ν A and T2K, interpreted in the standard 3-flavor scenario, display a tension. A mismatch in the determination of the standard CP-phase $\delta_{\rm CP}$ extracted by the two experiments is evident in the normal neutrino mass ordering. While NO ν A prefers values close to $\delta_{\rm CP} \sim 0.8\pi$, T2K identifies values of $\delta_{\rm CP} \sim 1.4\pi$. Such two estimates are in disagreement at more than 90% C.L. for 2 degrees of freedom. In this talk, we show that such a discrepancy can be resolved if one hypothesizes the existence of complex neutral-current non-standard interactions (NSI) of the flavor changing type involving the $e - \mu$ or the $e - \tau$ sectors with couplings $|\varepsilon_{e\mu}| \sim |\varepsilon_{e\tau}| \sim 0.2$. Remarkably, in the presence of such NSI, both experiments point towards the same common value of the standard CP-phase $\delta_{\rm CP} \sim 3\pi/2$. Our analysis also highlights an intriguing preference for maximal CP-violation in the non-standard sector with the NSI CP-phases having best fit close to $\phi_{e\mu} \sim \phi_{e\tau} \sim 3\pi/2$, hence pointing towards imaginary NSI couplings.

Collaboration name

Primary author: Prof. PALAZZO, Antonio (University of Bari and INFN)
Co-author: Dr CHATTERJEE, Sabya Sachi (IPPP Durham)
Presenter: Prof. PALAZZO, Antonio (University of Bari and INFN)
Session Classification: Non Standard Interactions

Track Classification: Neutrino Theory and Cosmology