## Clone of XIX International Workshop on Neutrino Telescopes



Contribution ID: 4

Type: Parallel Contributed Talk

## Possible indication of non-standard neutrino interactions from NOvA and T2K

Friday, 19 February 2021 10:00 (20 minutes)

The latest data of the two long-baseline accelerator experiments NO $\nu$ A and T2K, interpreted in the standard 3-flavor scenario, display a tension. A mismatch in the determination of the standard CP-phase  $\delta_{\rm CP}$  extracted by the two experiments is evident in the normal neutrino mass ordering. While NO $\nu$ A prefers values close to  $\delta_{\rm CP} \sim 0.8\pi$ , T2K identifies values of  $\delta_{\rm CP} \sim 1.4\pi$ . Such two estimates are in disagreement at more than 90% C.L. for 2 degrees of freedom. In this talk, we show that such a discrepancy can be resolved if one hypothesizes the existence of complex neutral-current non-standard interactions (NSI) of the flavor changing type involving the  $e-\mu$  or the  $e-\tau$  sectors with couplings  $|\varepsilon_{e\mu}|\sim|\varepsilon_{e\tau}|\sim0.2$ . Remarkably, in the presence of such NSI, both experiments point towards the same common value of the standard CP-phase  $\delta_{\rm CP}\sim3\pi/2$ . Our analysis also highlights an intriguing preference for maximal CP-violation in the non-standard sector with the NSI CP-phases having best fit close to  $\phi_{e\mu}\sim\phi_{e\tau}\sim3\pi/2$ , hence pointing towards imaginary NSI couplings.

## Collaboration name

**Primary author:** Prof. PALAZZO, Antonio (University of Bari and INFN)

Co-author: Dr CHATTERJEE, Sabya Sachi (IPPP Durham)

**Presenter:** Prof. PALAZZO, Antonio (University of Bari and INFN)

Session Classification: Non Standard Interactions