



Contribution ID: 403

Type: **Parallel Talk**

Status of the MUonE experiment

Friday, 8 July 2022 10:00 (15 minutes)

The latest measurement of the muon $g-2$ announced at Fermilab exhibits a 4.2σ discrepancy from the currently accepted Standard Model prediction. The main source of uncertainty on the theoretical value is represented by the leading order hadronic contribution a_μ^{HLO} , which is traditionally determined through a data-driven dispersive approach. A recent calculation of a_μ^{HLO} based on lattice QCD is in tension with the dispersive evaluation, and reduces the discrepancy between theory and experiment to 1.5σ . An independent evaluation of a_μ^{HLO} is therefore required to solve this tension and consolidate the theoretical prediction.

The MUonE experiment proposes a novel approach to determine a_μ^{HLO} by measuring the running of the electromagnetic coupling constant in the space-like region, via $\mu - e$ elastic scattering. The measurement will be performed by scattering a 160 GeV muon beam, currently available at CERN's North Area, on the atomic electrons of a low- Z target. A Test Run on a reduced detector is planned to validate this proposal. The status of the experiment in view of the Test Run and the future plans will be presented.

In-person participation

Yes

Primary author: PILATO, Riccardo Nunzio (Università di Pisa e INFN Sezione di Pisa)**Presenter:** PILATO, Riccardo Nunzio (Università di Pisa e INFN Sezione di Pisa)**Session Classification:** Strong interactions and Hadron Physics**Track Classification:** Strong interactions and Hadron Physics