Contribution ID: **1273** Type: **Poster**

# Studying Hadronization by Machine Learning Techniques

*Friday, 8 July 2022 20:10 (20 minutes)*

Hadronization is a non-perturbative process, which theoretical description can not be deduced from first principles. Modeling hadron formation requires several assumptions and various phenomenological approaches. Utilizing state-of-the-art Computer Vision and Deep Learning algorithms, it is eventually possible to train neural networks to learn non-linear and non-perturbative features of the physical processes.

Here, I would like to present the latest results of two deep neural networks, by investigating global and kinematical quantities, indeed jet- and event-shape variables. The widely used Lund string fragmentation model is applied as a baseline in $\sqrt{s}$=7 TeV proton-proton collisions to predict the most relevant observables at further LHC energies. Non-liear QCD scaling properties were also identified and validated by experimental data.

[1] G. Bíró, B. Tankó-Bartalis, G.G. Barnaföldi; arXiv:2111.15655

## In-person participation

Yes

**Primary author:** BIRO, Gabor (Wigner RCP)

**Co-authors:** TANKO-BARTALIS, Bence (Wigner RCP, Oxford University); BARNAFOLDI, Gergely Gabor (Wigner RCP)

**Presenter:** BIRO, Gabor (Wigner RCP)

**Session Classification:** Poster Session

**Track Classification:** Detectors for Future Facilities, R&D, novel techniques