

Job submission

João Pedro Athayde Marcondes de André

May 16th, 2022

- 1 Standard submission (JDL)
 - ▶ Submit generic job
 - ▶ Submit JUNO jobs
- 2 JSUB
 - ▶ Submit JUNO jobs
- 3 Production tool
 - ▶ Not covered today – see DocDB-8164
 - ▶ To use production tool need to be in production group in VOMS

Part #1

Standard submission (JDL)

Submitting your first job

```
myscript.sh
```

```
#!/bin/sh
```

```
echo "====_ _Begin_ _===="
```

```
date
```

```
echo "The_program_is_running_on_$HOSTNAME"
```

```
test.jdl
```

```
JobName = "mysimplejob";
```

```
Executable = "/bin/bash";
```

```
Arguments = "myscript.sh";
```

```
StdOutput = "stdout.out";
```

```
StdError = "stderr.err";
```

```
InputSandbox = { "myscript.sh" };
```

```
OutputSandbox = { "stdout.out", "stderr.err" };
```

```
VirtualOrganisation = "vo.juno.ihep.ac.cn";
```

- Create the `myscript.sh` and `test.jdl` files
- Submit job:

```
% dirac-wms-job-submit test.jdl
```

```
JobID = 5923594
```

Job status

```
% dirac-wms-job-submit test.jdl
```

```
JobID = 5923594
```

```
% dirac-wms-job-status 5923594
```

```
JobID=5923593 Status=Waiting; MinorStatus=Pilot Agent  
Submission; Site=ANY;
```

```
% dirac-wms-job-status 5923594
```

```
JobID=5923594 Status=Done; MinorStatus=Execution  
Complete; Site=CLOUD.IHEPCLOUD.cn;
```

```
% dirac-wms-job-get-output 5923594
```

```
Job output sandbox retrieved in /afs/ihep.ac.cn/users/j/  
jpandre/dirac/5923594/
```

```
% cat 5923594/stdout.out
```

```
===== Begin =====
```

```
Sun Jul 21 10:01:13 CST 2019
```

```
The program is running on idirac-20190721-095925-12  
c787ff
```

Job submission also possible via website

- Menu → Tools → Job Launchpad

Job Launchpad 📄 📄 ⬆️ ? ⏪ ⏩ ✖

Proxy Status: **Valid** ➕ Add Parameters ▾

⬆️ JDL

Executable:

JobName:

Arguments:

OutputSandbox:

⬆️ Input Sandbox

LFN:

per page: 100 ▾

Country Site



Site Summary




Task Manager



Job Launchpad


Listing jobs with web interface

- Menu → Applications → Job Monitor



The screenshot shows the Job Monitor web interface. On the left, there are filter selectors for Site, Status, Minor Status, Application Status, and Owner. The main area displays a table of jobs with columns: JobId, Status, MinorStatus, ApplicationStatus, Site, and JobName. The table contains several rows of job data, including job IDs like 5918048, 5918047, 5918046, 5918045, 5918044, 5918043, 5918042, and 5918041. The status of these jobs varies, with some being 'Done' and others 'Failed'.

- Right click on job name → Sandbox → Get output files



This screenshot shows the Job Monitor web interface with a context menu open over a job. The menu options include: Attributes, Parameters, Logging Info, Peek StandardOutput, Get LogFile, Get Pending Request, Get StagerReport, Actions, Pilot, and Sandbox. The Sandbox option is highlighted, and a sub-menu is visible with options: Get input file(s), Get output file(s), and Click to get the job output sandbox. The table in the background shows job details for job ID 5918036, which is highlighted in blue and has a status of 'Failed'.

Listing jobs with web interface: logging

- Right click on job name → Logging Info

Attributes for JobID:5918047

Source	Status	Minor Status	Application Status	Date Time
JobManager	Received	Job accepted	Unknown	2019-07-17 13:50:57
JobPath	Checking	JobSanity	Unknown	2019-07-17 13:50:57
JobSanity	Checking	JobScheduling	Unknown	2019-07-17 13:50:57
JobScheduling	Waiting	Pilot Agent Submission	Unknown	2019-07-17 13:50:57
Matcher	Matched	Assigned	Unknown	2019-07-17 13:52:11
JobAgent@CLUSTE...	Matched	Job Received by Agent	Unknown	2019-07-17 13:52:11
JobAgent@CLUSTE...	Matched	Submitted To CE	Unknown	2019-07-17 13:52:11
JobWrapper	Running	Job Initialization	Unknown	2019-07-17 13:52:34
JobWrapper	Running	Downloading InputSandbox	Unknown	2019-07-17 13:52:34
JobWrapper	Running	Application	Unknown	2019-07-17 13:52:34
Job_5918047	Running	Application	Executing RunScript...	2019-07-17 13:52:35
Job_5918047	Running	Application	run-detsim-0.sh succes...	2019-07-17 13:55:00
JobWrapper	Completed	Application Finished Successfully	run-detsim-0.sh succes...	2019-07-17 13:55:05
JobWrapper	Completed	Uploading Output Sandbox	run-detsim-0.sh succes...	2019-07-17 13:55:05
JobWrapper	Completed	Output Sandbox Uploaded	run-detsim-0.sh succes...	2019-07-17 13:55:05
JobWrapper	Completed	Uploading Output Data	run-detsim-0.sh succes...	2019-07-17 13:55:05
JobWrapper	Failed	Uploading Job OutputData	run-detsim-0.sh succes...	2019-07-17 13:55:08
JobWrapper	Failed	Uploading Job Outputs	run-detsim-0.sh succes...	2019-07-17 13:55:08
JobAgent@CLUSTE...	Failed	Singularity CE Error: Command failed wit...	run-detsim-0.sh succes...	2019-07-17 13:55:08

Submit Reset Refresh

task Manager Job Monitor ATTRIBUTES FOR JO...

Updated: 2019-07-21 02:03 [UTC]

Jo...	LastUpdate[UTC]
IHEPC...	my... 2019-07-21 02:01:24
2P3.fr	my... 2019-07-21 02:02:13
IHEPC...	Di... 2019-07-17 13:55:41
RI.IHE...	jun... 2019-07-17 13:55:07
JINRO...	jun... 2019-07-17 14:14:37
FN-CN...	jun... 2019-07-17 13:53:40
IHEPC...	jun... 2019-07-17 18:20:07
FN-CN...	jun... 2019-07-17 13:54:19
IHEPC...	jun... 2019-07-17 13:56:55
FN-CN...	jun... 2019-07-17 13:55:36
FN-CN...	jun... 2019-07-17 13:53:38
FN-CN...	jun... 2019-07-17 13:55:21
IHEPC...	jun... 2019-07-17 13:57:00
IHEPC...	jun... 2019-07-17 13:57:02
FN-CN...	jun... 2019-07-17 13:55:18
2P3.fr	jun... 2019-07-05 14:39:18

Attributes for JobID:5923735

Source	Status	Minor Status	Application Status	Date Time
JobManager	Received	Job accepted	Unknown	2019-07-21 03:40:58
JobPath	Checking	JobSanity	Unknown	2019-07-21 03:40:58
JobSanity	Checking	JobScheduling	Unknown	2019-07-21 03:40:58
JobScheduling	Waiting	Pilot Agent Submission	Unknown	2019-07-21 03:40:58
JobAgent@CLOUD.IH...	Matched	Job Received by Agent	Unknown	2019-07-21 03:47:13
Matcher	Matched	Assigned	Unknown	2019-07-21 03:47:14
JobWrapper	Running	Job Initialization	Unknown	2019-07-21 03:47:15
JobWrapper	Running	Downloading InputSan...	Unknown	2019-07-21 03:47:15
JobWrapper	Running	Application	Unknown	2019-07-21 03:47:15
JobAgent@CLOUD.IH...	Matched	Submitted To CE	Unknown	2019-07-21 03:47:15
Job_5923735	Matched	Submitted To CE	Executing RunScriptSt...	2019-07-21 03:47:15
Job_5923735	Matched	Submitted To CE	run-detsim-0.sh succes...	2019-07-21 03:52:33
JobWrapper	Completed	Application Finished Su...	run-detsim-0.sh succes...	2019-07-21 03:52:35
JobWrapper	Completed	Uploading Output Sand...	run-detsim-0.sh succes...	2019-07-21 03:52:36
JobWrapper	Completed	Output Sandbox Uploa...	run-detsim-0.sh succes...	2019-07-21 03:52:36
JobWrapper	Completed	Uploading Output Data	run-detsim-0.sh succes...	2019-07-21 03:52:36
JobWrapper	Completed	Output Data Uploaded	run-detsim-0.sh succes...	2019-07-21 04:02:46
JobWrapper	Done	Execution Complete	run-detsim-0.sh succes...	2019-07-21 04:02:46

Submit Reset Refresh

5918044 Failed Status for more than 11700 sec

task Manager Job Monitor ATTRIBUTES FOR JO...

Updated: 2019-07-21 05:12 [UTC]

Site	
n_single	GRID.INFN-CNAF.it
n_single	CLOUD.IHEPCLOUD.cn
n_single	CLOUD.IHEPCLOUD.cn
n_single	GRID.INFN-CNAF.it
n_single	CLOUD.IHEPCLOUD.cn
n_single	GRID.IN2P3.fr
n_single	CLOUD.IHEPCLOUD.cn
n_single	CLOUD.IHEPCLOUD.cn
n_single	CLOUD.IHEPCLOUD.cn
ib	CLOUD.IHEPCLOUD.cn
ib	GRID.IN2P3.fr
ndre_312564	CLOUD.IHEPCLOUD.cn
n_single	CLUSTER.IHEP-CONDOR.cn
n_single	CLOUD.JINRONE.ru
n_single	GRID.INFN-CNAF.it

Exercise: Submitting JUNO jobs

- Now we can start to submit JUNO jobs...
- Can you modify the previous JDL & script to submit a short simulation job?
- Remember:
 - ▶ Given job might run anywhere you **cannot** use any “local” file paths!
 - ▶ CVMFS is your friend
- Add `OutputData = { "*.root" };` to JDL file
 - ▶ What happens if you don't put it?
 - ▶ Did you find your ROOT output files?
- JDL files support many more options still...
 - ▶ This tutorial is **not** meant to cover them all
 - ▶ and I don't know them all either...

Submitting JUNO jobs (solution)

Exercise: Submitting JUNO jobs 2

- In previous exercise we ran `detsim`
 - ▶ No input needed \Rightarrow easier to handle
- Now, let's try to run a job using an input!
 - ▶ for example, run `elecsim` on previous output
- Option 1:
 - ▶ Add `InputData` field to JDL file
 - ★ path should correspond to DFC path!
- Option 2 (advanced!):
 - ▶ Use `xrootd` for local access
 - ▶ Need to know where the file is
 - ▶ Need to know `xrootd` path for each cluster

```
root :// junoeos01.ihep.ac.cn:1094//eos/juno/dirac
root :// xfer-archive-03.cr.cnaf.infn . it :1094//
      dirac
root :// ccxrootdegee.in2p3.fr:1094//pnfs/in2p3.fr
      /data/juno/dirac
root :// eos.jinr .ru:1094//eos/juno/dirac
```

- ▶ Add `Site` field to JDL file with location

Submitting JUNO jobs 2 (solution, opt #1)

Submitting JUNO jobs 2 (solution, opt #2)

Part #2

JSUB

What is JSUB

- Goal: make JUNO DCI (user) job submission easier & more efficient
- Tool developed by Yifan Yang (postdoc @IHEP)
- Resources from Yifan:
 - ▶ DocDB-7303: JSUB tutorial
 - ▶ <https://jsubpy.github.io/>
- On the down side Yifan finished his postdoc...
 - ▶ For now things work, and we will try maintain it...
 - ▶ But current DCI manpower is very limited...
 - ▶ This caveat is why I started from JDL today

Getting started with JSUB

- JSUB config file (`/.jsubrc`):

```
package: [jsub_juno, jsub_dirac]
```

```
taskDir:
```

```
  location: /path/to/my/jsub/manager/folder
```

```
  #location: /home/jp/jsub
```

```
backend:
```

```
  default: dirac
```

- Activate JSUB:

```
% source /cvmfs/dcomputing.ihep.ac.cn/frontend/  
  jsub/activate.sh -e juno
```

Getting started with JSUB 2

`% jsub --help`

Usage: `jsub [OPTIONS] COMMAND [ARGS]...`

Options:

- `--jsubrc TEXT` Configuration file to run JSUB with.
- `--help` Show this message and exit.

Commands:

- `create` Create a task from a task description file .
- `getlog` Retrieve log files of selected subjobs.
- `jobvar` View the values of jobvar lists
- `ls` List all tasks.
- `package` Show active packages.
- `register` Upload files to SE and register them to DFC.
- `remove` Delete a task.
- `rename` Rename a task.
- `reschedule` Reschedule selected subjobs.
- `resubmit` Equivalent to 'jsub submit -r' command
- `run` Create from a task profile , and submit.
- `show` Show detailed description of a task.
- `status` Show the backend status of a task.
- `submit` Submit a task to backend.
- `version` Show the version of the software.

JUNO simulation – job definition file

based on 101_detsim.yaml example from Yifan
detsim.yaml

```
taskName: juno_sim
experiment: juno
#softVersion: 'centos7_amd64_gcc830/Pre-Release
  /J20v1r0-Pre2'
softVersion:
  arch: 'centos7_amd64_gcc830/'
  release: 'J20v1r0-Pre2'

backend:
  type: dirac
  outputSubDir: 'temporary_jsub_tests'

splitter :
  mode: splitByEvent
  evtMaxPerJob: 5
  njobs: 2

workflow:
  steps: [detsim]

  detsim:
    seed: 1
    additionalArgs: 'gun'
```

JUNO simulation – submitting job

2 options for submitting job:

- create job, then submit:
 - ▶ Gives the chance to check if that was indeed the job you wanted to submit

```
% jsub create detsim.yaml
```

```
Task created successfully
```

```
- ID          : 1  
- Name       : juno_sim  
- Job Number : 2
```

```
% jsub submit 1
```

```
Submitting task 1
```

```
[2022-05-15 22:05:21.442 +0200 CEST][JSUB|INFO  
]: 2 jobs successfully submitted to backend.
```

- Submit in a single step:

```
% jsub run detsim.yaml
```

```
[2022-05-15 22:13:40.400 +0200 CEST][JSUB|INFO  
]: 2 jobs successfully submitted to backend.
```

```
Task submitted successfully
```

```
- ID          : 2  
- Name       : juno_sim  
- Job Number : 2
```

Job management with JSUB

```
% jsub ls
```

```
[2022-05-15 22:20:16.003 +0200 CEST][JSUB|INFO]:
```

```
  Fetching backend status info update for tasks. May  
  take some time.
```

```
Task ID  Name      Experiment Backend Status (D|F|R|W|  
O) Creation Time (UTC) Info Updated (UTC)
```

```
-----  
-----  
-----  
1      juno_sim juno      dirac    2|0|0|0|0  
          2022-05-15 20:03:32 2022-05-15  
20:20:20  
2      juno_sim juno      dirac    2|0|0|0|0  
          2022-05-15 20:13:32 2022-05-15  
20:20:23
```

```
% jsub getlog 1 -s D
```

```
Fetching the log files of task 1
```

```
Specifying job status: D
```

```
[2022-05-15 22:21:25.596 +0200 CEST][JSUB|INFO]:
```

```
  Retrieved log files of 2 subjobs
```

```
% ls ~/jsub/1/logfiles
```

```
0/ 1/
```

```
% ls ~/jsub/1/logfiles/0/unit/detsim
```

```
detsim.log
```

JSUB output ROOT files

```
FC:/juno/user/j/jpandre/temporary_jsub_tests/juno_sim/  
detsim>ls  
detsim_1.root  
detsim_2.root  
detsim_user_1.root  
detsim_user_2.root
```

- Saves file in DFC based on `taskName` and `outputSubDir`
- Easier to know what corresponds to each file
- Better natural organization between `detsim/elecsim/...`
- Note: probably possible to do that with JDL also, but in JSUB it gets done automatically

Exercise: Submit a detsim+elecsim job

- Modify the previous YAML script to run also `elecsim`
- Bonus: change some configuration from `elecsim`
- How are the output files organized?
- How are the log files organized?

Submit a detsim+elecsim job (solution)

Simulating multiple similar configurations

- This is very useful if you want to simulate many similar jobs with varying inputs
- Change splitter from `splitByEvent` to `splitByJobvar` for more flexibility
- `splitByJobvar` also creates variables that can be used when configuring jobs
 - ▶ a list of isotopes can be provided
 - ▶ some of those informations used to define filename
 - ▶ any other variable (like a seed) could be added. . .

Simulating multiple similar configurations

```
# [...]
```

```
splitter :
```

```
  mode: splitByJobvars
```

```
  maxSubJobs: 5
```

```
  evtMaxPerJob: 10
```

```
  jobvarLists:
```

```
    nuclear:
```

```
      type: enumerate
```

```
      list : [ 'U-238', 'Th-232' ]
```

```
      group: nuclear
```

```
    subjob:
```

```
      type: range
```

```
      group: same_nuclear
```

```
workflow:
```

```
  steps: [detsim]
```

```
  detsim:
```

```
    output: '$(nuclear).$(subjob).detsim.root'
```

```
    userOutput: '$(nuclear).$(subjob).user.detsim.  
    root'
```

```
    additionalArgs: 'gendecay_--nuclear_$(nuclear  
    )_--volume_pTarget_--material_LS'
```


Exercise: Submit an elecsim job

- Now, if you had to run `elecsim` from the `detsim` generated, how would you do?
 - ▶ For simplicity consider the files produced by the first `detsim` with JSUB
- Option 1:
 - ▶ Pass an `input:` to `elecsim`
- Option 2 (advanced):
 - ▶ Use the file catalog to know which files to use as input!
 - ▶ Need to use file metadata to pick files

Submit an elecsim job (solution, opt. #1)

Submit an elecsim job (solution, opt. #2.1)

Submit an elecsim job (solution, opt. #2.2)

One final example...

```
# [...]
```

input:

```
run-elecsim-1_jsub.sh: run-elecsim-1_jsub.sh  
fileLists.tgz: fileLists.tgz  
tut_det2elec_hx.py: tut_det2elec_hx.py
```

workflow:

```
steps: [elecsim, my_elecsim]
```

```
# JP: I needed to include elecsim so it adds the  
output rootfiles to the list of files to be  
uploaded
```

elecsim:

```
fullArgs: '--help'
```

```
input: '/juno/user/j/jpandre/jsub_test_2022/  
rad_v2/detsim/K-40.1.detsim.root'
```

```
output: 'elecsim'
```

```
user_output: ''
```

my_elecsim:

```
type: user_script
```

```
file: 'run-elecsim-1_jsub.sh'
```

```
args: ''
```

Part #3

Production Tool

Introduction

- As I mentioned before, this requires your VOMS to have `production` role

```
% dirac-proxy-init -U -g juno_production -M  
Generating proxy...  
Enter Certificate password:  
Added VOMS attribute /juno/Role=production  
[...]  
DIRAC group : juno_production  
[...]  
VOMS fqan : ['/juno/Role=production', '/juno']  
[...]
```

- It is meant for large scale production
 - ▶ less flexible than JSUB or JDL
 - ▶ however tuned to work with large datasets
- Getting started:

```
% ihepdirac-juno-make-productions --example  
> production.ini
```

- Note: I've never used the production system... so hard to explain details

Production example

I just stripped the comments of the example file by Xiaomei

```
[ all ]
process = Chain
softwareVersion = centos7_amd64_gcc830/Pre-Release/
    J21v2r0-Pre0
prodName = JUNOProdTest
transGroup = JUNO_prod_test
outputType = user
outputSubDir = positron/prd_2021
outputMode = closest
moveTargetSE = IHEP-STORM CNAF-STORM
```

```
[Chain]
seed = 42
evtmax = 2
njobs = 10
max2dir = 10000
tagParser = (.*)(.*) MeV
tags = e+_0.0MeV e+_1.398MeV e+_4.460MeV
workflow = detsim elecsim_rec
moveType = detsim
userOutput = 0
detsim-mode = gun --particles {0} --momentums {1} --
    positions 0 0 0
elecsim_rec-mode = --rate 0.001 --enableWP --
    enableWPDarkPulse --no-evtrec
```


The end

Thank you for your attention!