

Contribution ID: 49

Type: not specified

CLUES on Fermi-LAT prospects for munuSSM gravitino dark matter extragalactic detection

Wednesday, 25 May 2011 16:45 (20 minutes)

The munuSSM is a supersymmetric model that has been proposed to solve the problems of other supersymmetric extensions of the standard model. The gravitino is a natural candidate for dark matter in the munuSSM and could be detectable through the emission of a monochromatic gamma ray in a two-body decay.

We study the prospects of the Fermi-LAT telescope to detect such monochromatic lines in 5 years of observations of the most massive extragalactic objects.

The dark matter halo around the Virgo galaxy cluster is selected as a reference case, since it is associated to a particularly high signal-to-noise ratio and is located in a region scarcely affected by the presence of astro-physical point sources.

The simulation of both signal and background gamma-ray events is carried out with the Fermi Science Tools, and the dark matter distribution around Virgo is taken from a *N*-body simulation with constrained initial conditions provided by the CLUES project.

We find that a gravitino with a mass range of 0.5–10 GeV approximately, and with a lifetime of about 5e27 s (1e28 s) would be detectable by the Fermi-LAT with a signal-to-noise of 5 (3).

Primary author: GOMEZ VARGAS, German Arturo (ROMA2)

Presenter: GOMEZ VARGAS, German Arturo (ROMA2)

Session Classification: Parallel session 2: Dark Matter Search