



Contribution ID: 110

Type: **Presentation**

## Compact isolation of a large mirror at low frequency

*Thursday, May 25, 2023 9:30 AM (15 minutes)*

The study presents the updates and challenges of compact isolation of a large mirror (100 kg) at low frequency (below 10 Hz). The isolator consists of mounting a passive inverted pendulum platform (IPP) on an active inertial platform (AP) and suspending multiple cascaded pendulums from the IPP. The new approach results in a very low resonance frequency (0.07 Hz) and provides ultra-low frequency seismic isolation. On the other hand, several challenges need to be addressed such as the coupling of IPP with AP.

**Primary authors:** Mr SIDER, Ameer (PML - Precision Mechatronics Laboratory, Université de Liège, B-4000 Liège, Belgium); LAKKIS, Mouhamad Haidar (PML - Precision Mechatronics Laboratory, Université de Liège, B-4000 Liège, Belgium); Dr JAMSHIDI, Rasa (PML - Precision Mechatronics Laboratory, Université de Liège, B-4000 Liège, Belgium); Prof. COLLETTE, Christophe (1- PML - Precision Mechatronics Laboratory, Université de Liège, B-4000 Liège, Belgium. 2-Université Libre de Bruxelles, Beams, Precision Mechatronics Laboratory, Avenue F.D. Roosevelt 50, B-1050, Brussels, Belgium.)

**Presenter:** Mr SIDER, Ameer (PML - Precision Mechatronics Laboratory, Université de Liège, B-4000 Liège, Belgium)

**Session Classification:** Prototypes for R&D 1

**Track Classification:** Current detectors and prototypes: Prototypes for R&D