



ID contributo: 26

Tipo: Plenary Invited

Strangeness production on the neutron

giovedì 13 ottobre 2011 09:35 (35 minuti)

```

\documentclass[12pt,a4paper]{article}
\pagestyle{empty}
\begin{document}

\begin{center}
\textbf{\large Strangeness production on the neutron}\[3ex]
Colin Wilkin*\[2ex]
Physics and Astronomy Department, UCL, London WC1E 6BT, UK\[2ex]
\end{center}

```

In order to fully understand strangeness production in nucleon-nucleon collisions, it is crucial to obtain data with a neutron beam or target to complement the mass of results that are already available in the proton-proton sector. Such information is also important for the modelling of K^+ production in pA and AA -induced reactions. The challenge of getting proton-neutron data is being tackled in two different ways at the ANKE facility of the COSY-J^ülich storage ring.

Inclusive momentum spectra of K^+ produced at small angles in proton-proton and proton-deuteron collisions have been measured at four beam energies, 1.826, 1.920, 2.020, and 2.650-GeV. After making corrections for Fermi motion and shadowing, the data to be presented indicate that strangeness production is much weaker in pn - than in pp -induced reactions, especially in the near-threshold region.

The precision achievable in a deuteron/proton comparison is very limited unless the production in pn collisions dominates. The situation is far cleaner if one carries out K^+p coincidence studies. Measurements were made in the Spring of $pd \rightarrow K^+pX$, where a slow recoiling proton was detected in one of the silicon tracking telescopes. This enables the CM energy in quasi-free pn collisions to be determined on an event-by-event basis. Below the threshold for Σ production, only Λ production is possible and these data will allow the total cross sections for the $pn \rightarrow K^+\Lambda n$ reaction to be extracted over a range of excess energies and to be compared with the well established $pp \rightarrow K^+\Lambda p$ measurements. The conditions of this experiment will be presented and analysed.

\vspace{1cm}\noindent * Email: cw@hep.ucl.ac.uk

```
\end{document}
```

Autore principale: Prof. WILKIN, Colin (University College London)

Relatore: Prof. WILKIN, Colin (University College London)

Classifica Sessioni: Hadron Physics III

Classificazione della track: Hadron Physics