





























DRILL CHART: TOP to BOTTOM			
ALL UNITS ARE IN MILLIMETERS			
FIGURE	FINISHED_SIZE	PLATED	QTY
A	0.25	PLATED	355
B	0.254	PLATED	2
A	0.254	PLATED	94
C	0.965	PLATED	4
D	1.0	NON-PLATED	4
E	1.02	NON-PLATED	2

STACKUP TABLE				
#	NAME	TYPE	MATERIAL	THICKNESS TOLERANCE
		SURFACE	AIR	0
		DIELECTRIC	SOLDERMASK	0.02
1	TOP CONDUCTOR	COPPER	0.0305	-0/-0
		DIELECTRIC	FR-4	0.11
2	LAYER 1 PLANE	COPPER	0.017	-0/-0
		DIELECTRIC	FR-4	0.13
3	LAYER 2 CONDUCTOR	COPPER	0.017	-0/-0
		DIELECTRIC	FR-4	0.13
4	LAYER 3 PLANE	COPPER	0.017	-0/-0
		DIELECTRIC	FR-4	0.13
5	LAYER 4 CONDUCTOR	COPPER	0.017	-0/-0
		DIELECTRIC	FR-4	0.11
6	LAYER 5 PLANE	COPPER	0.017	-0/-0
		DIELECTRIC	FR-4	0.13
7	LAYER 6 CONDUCTOR	COPPER	0.017	-0/-0
		DIELECTRIC	FR-4	0.21
8	LAYER 7 PLANE	COPPER	0.017	-0/-0
		DIELECTRIC	FR-4	0.13
9	LAYER 8 CONDUCTOR	COPPER	0.017	-0/-0
		DIELECTRIC	FR-4	0.11
10	BOTTOM CONDUCTOR	COPPER	0.0305	-0/-0
		DIELECTRIC	SOLDERMASK	0.02
		SURFACE	AIR	0
		TOTAL THICKNESS		1.387









