

# Shoe

Cleaning & re-structure

# Level0

- Folder not needed anymore:
  - Global and local reconstruction done at the same level
  - Only one executable for reconstruction (DecodeGlb)
  
- ➔ Remove folder:
  - Move all files/folder directly into Reconstruction
  - Change CMakeFiles.txt accordingly
  - Pushed in newgeom\_v1.0
  - Seems to work smoothly







# Configuration files (iv)

- MSD configuration file:

```
// -+-+-+-----  
// Parameters for Analysis  
// -+-+-+-----  
PedestalFlag:          0  
TrackingFlag:       0  
TrackingAlgo:       "Full"  
PlanesForTrackMinimum: 3  
SearchHitDistance:     0.03  
Sensors:                6
```

- ➔ Pedestal flag
- ➔ Add tracking flag
- ➔ Add the tracking algorithm

# Conclusions & ToDo

- Remove level0
  - All detector analysis options are now in configuration files
  - Interfaced in action and reconstruction class
- 
- ➔ Still some clean up going on (macros-scripts: Yun)
  - ➔ Cleanup some old campaigns ?
  - ➔ Rename LocalReco(MC) to RecoRaw/MC
  - ➔ Changing name of EnableLocalReco and adding LocalRecoOnly to avoid confusion

NB: night builds on our server (sbgui10) are running smoothly every night at 23:30

- ➔ Some issue with MakeChi2Test in root (under investigation)
- ➔ Some pb with sending a mail (Permission denied: publickey ,password) in the script