

Low energy ER/NR discrimination



Atul Prajapati

7/06/2023

Data and MC samples

For Data:

- Bkg runs (Golden Runs in run2) : 11289-12191
- Fe data (LY runs in run2) : 8882-9850



MC samples:

- ER simulations : 2 - 50 keV
- NR simulations : 3 - 60 keV

Selections

```
cut0 = "rms >6 && sqrt(pow(xmean-1152,2)+pow(ymean-1152,2))<800 && 0.152 *  
tgausssigma > 0.3"
```







```
cut1 = "(((integral*(5.9/4800))/(length*0.152) >= (0.12 * integral*(5.9/4800)) + 1.33) && rms  
>6 && sqrt(pow(xmean-1152,2)+pow(ymean-1152,2))<800 && 0.152 * tgausssigma > 0.3 "
```









Ionization Pattern

Col 1: W/O cut Col 2: cut0

Col 3: cut1






Energy release along the length




Delta vs Energy


delta_vs_Energy




delta_vs_Energy



delta_vs_Energy




delta_vs_Energy




Delta vs length


delta_vs_length[]




delta_vs_length[ms > 6 && sqrt(pow(xmean-1152.2)+pow(ymean-1152.2))=800 && 0.152 * fgaussigma > 0.3]




delta_vs_length[mean(delta) > 100 && sqrt(pow(xmean-1152.2)+pow(ymean-1152.2))=800 && 0.152 * fgaussigma > 0.3]




delta_vs_length



delta_vs_length




delta_vs_length




SDCD vs energy


SDCD_vs_Energy []




SDCD_vs_Energy [rms >6 && sig1(pow((mean-1152.2)/pow((mean-1152.2))<=500 && 0.152 * (gaussigma > 0.3)




SDCD_vs_Energy [sig1(pow((mean-1152.2)/pow((mean-1152.2))<=500 && 0.152 * (gaussigma > 0.3)




SDCD_vs_Energy









SDCD_vs_Energy





SDCD_vs_Energy




Integral



Saturation in NR simulation





Linearity without calibration




Testing ML algorithms on lime data

ML Input and Lime testing data




Lime data is selected with the cut : " $\text{rms} > 6 \ \&\& \ \sqrt{\text{pow}(\text{xmean}-1152,2)+\text{pow}(\text{ymean}-1152,2)} < 800 \ \&\& \ 0.152 * \text{tgausssigma} > 0.3 \ \&\& \ \text{redpixldx} >= 0 \ \&\& \ \text{integral} * (6/5000) < 40$ "


ML analysis





Prediction on MC



Confusion Matrix





Predictions





This prediction is using `model.predict()` method. This method classifies the events into two classes using the threshold which maximises the diagonal elements of CM.

NR events with predict





Probability Prediction




This prediction is using `model.predict_proba()` which gives a probability of each event to be in a given class.

Predicted NR events with variable threshold



Feature Importance





NR with MC selection







Selections

```
cut0 = "rms >6 && sqrt(pow(xmean-1152,2)+pow(ymean-1152,2))<800 && 0.152 *  
tgaussigma > 0.3"
```







```
cut1 = "rms >6 && sqrt(pow(xmean-1152,2)+pow(ymean-1152,2))<800 && 0.152 *  
tgaussigma > 0.3 && redpixldx>=0 && (length*0.152) <10 && (integral*(5.9/5000))<=40  
&& delta>= (0.83*integral*(6/5000))+20"
```









Integral



Ionization Pattern




Energy release along the length




Delta vs Energy


delta_vs_Energy




delta_vs_Energy [ms >6 && sqrt(pow((mean-1152.2)+pow((mean-1152.2)+800)&& 0.152 * (gaussigma > 0.3]




delta_vs_Energy [ms >6 && sqrt(pow((mean-1152.2)+pow((mean-1152.2)+800)&& 0.152 * (gaussigma > 0.3]




delta_vs_Energy



delta_vs_Energy




delta_vs_Energy




SDCD vs energy


SDCD_vs_Energy []




SDCD_vs_Energy [rms >6 && sqrt(pow((mean-1152.2)/pow((mean-1152.2)/900 && 0.152 * gaussigma > 0.3)




SDCD_vs_Energy [rms >6 && sqrt(pow((mean-1152.2)/pow((mean-1152.2)/900 && 0.152 * gaussigma > 0.3)




SDCD_vs_Energy




SDCD_vs_Energy





SDCD_vs_Energy





Position of the selected events in cut1





Selecting New cut on MC





dEdX vs length









Delta vs energy



Delta vs length





Alpha Analysis





Denoiser Network

Input and Target (Lime data)




Simulated high energy tracks




Prediction by the network


Testing Image



Testing Label




Prediction on test image




Simulation

Prediction on lime data


Testing Image



Testing Label



Prediction on test image



Lime Data