

Shift report

18-25 October 2023

CMS group

Stability Runs

Stability run registry

Run ID	Start time	End time/Last action	Duration	Comment	Status
0191	2023-10-25 15:39	2023-10-26 10:20	0 days, 18 hours, 40 minutes	...	ONGOING
0190	2023-10-25 14:18	2023-10-25 15:18	0 days, 1 hours, 0 minutes	stability scan ECO2 (Alice chamber excluded)...	FINISHED
0189	2023-10-20 18:27	2023-10-25 10:12	4 days, 15 hours, 45 minutes	Stability scan ECOGAS2...	FINISHED
0188	2023-10-19 18:13	2023-10-20 03:30	0 days, 9 hours, 16 minutes	stability ECO2...	FINISHED
0186	2023-10-19 17:48	2023-10-19 18:00	0 days, 0 hours, 11 minutes	Stability ECOGAS2...	FINISHED
0185	2023-10-13 08:17	2023-10-16 12:24	3 days, 4 hours, 6 minutes	Stability with ECO2...	FINISHED

GAS Bottle replaced



Fri Oct 20 16:49:01 2023, Luca Quaglia, Gas, HFO bottle over

A new ELOG entry has been submitted:
Logbook: **rpcecogase**log Message ID: [434](#) Entry time: **Fri Oct 20 16:49:01 2023** In reply to: [433](#)
Author: Luca Quaglia
Category: Gas
Subject: HFO bottle over



HFO bottle changed now. Gas flow restarted, I put a little less gas because ALICE RPC is out (the line on the rotameter is closed). The HFO used liters counter was reset on Grafana and it is restarting from 1.51 kL because the bottle I put is half used (I wrote down the amount of gas on the bottle label)

HV current scans

000692 ↗	Current scan	2023-10-25 11:48	ECOGAS2	FINISHED
000691 ↗	Current scan	2023-10-25 10:10	ECOGAS2	FINISHED





SHIP Chamber

25 October







HV current scans: RE TW-TN Chamber

25 October







HV current scans: RE Bot - EPDT Chamber

25 October



HV current scans: Kodel-H-Top-Bot Chamber

25 October



Stability scan: Ship Chamber

