Production Tools L. Tomassetti

Refactoring


- Framework moved to template technology (✔)
- New Bookkeeping database schema adopted (✔)
- Grid authentication adopted in job/database communications (
- Job script ported to python (✔)
- FullSim production on the Grid is under development
- Setup and integration of new Grid monitor services
- Production data distribution: via job or via Grid service

New WebUl

E. Vianello, et al.

CS master degree's student


Structure



http://code.google.com/intl/it-IT/apis/chart/index.html




Smarty template engine (version 3):



The Smarty design was largely driven by these goals:

- clean separation of presentation from application code
- PHP backend, Smarty template frontend
- complement PHP, not replace it
- fast development/deployment for programmers and designers
- quick and easy to maintain
- syntax easy to understand, no PHP knowledge required
- flexibility for custom development
- security: insulation from PHP
- free, open source





ssions	FastSim	
	Productions	
	Production Reque	sts
	Expert Init	
	Shift Init	
	5 - L. 6 4 M	

lob Monitor

Available pages:

- PRODUCTIONS: to manages and create prod series
- PRODUCTION REQUESTS: to manage, create, modify, validate and delete production's requests
- EXPERT INIT: to submit jobs through expert interface
- JOB MONITOR: to monitor the status of user's submitted jobs, by several research filters, and to access output and log files
- HOME: user can view his last n activities (like job submissions, with shortcut to job monitor)


"Work in progress" pages:

• SHIFT INIT: to submit jobs' bulk through shifter interface, reset sites

Future developments:

 SESSION MANAGEMENT pages: to manipulate sessions, software versions and revisions, environment vars and job parameters

show test productions	******	list of all not	-test productions					
how 10 😫 entries						Sea	arch:	
Prod Series	Status	Soft Release	Created on	Job Stats		id uid	action	s 🕴 note 🕴
2010_July	open	V0.2.5 311	2011-08-18 00:00:00			evianel	lo close	
2010_July_test	test	V0.2.5 311	2011-08-18 00:00:00			evianel	lo	
2010_September_311	closed	V0.2.5 311	2010-09-15 00:00:00			LTomas	isetti open	
2010_September_311_test	test	V0.2.5 311	2010-09-15 00:00:00			LTomas	setti	
2010_September_307	closed	V0.2.5 307	2010-09-01 00:00:00			LTomas	isetti open	
2010_September_307_test	test	V0.2.5 307	2010-09-01 00:00:00			LTomas	setti	
		eate productio			0			
orm fields are required.	0		. specify name		Retrieving] OK			releases/SuperB/FastSim/V0.2.
	0	-			Retrieving] OK producti		perb/prod/FastSim_test	releases/SuperB/FastSim/V0.2.
orm fields are required.	o ries: 201	, , , .	specify name		Retrieving] OK producti producti	svn info ['/storage/gpfs_su on name: 2011_September	perb/prod/FastSim_test	releases/SuperB/FastSim/V0.2.
orm fields are required. Production Ser Production RO	ries: 201 DOT: /sto	1_fast O prage/gpfs_superb/p	. specify name	•	Retrieving] OK producti producti software release v	svn info ['/storage/gpfs_su on name: 2011_September on root: /storage/gpfs_super e release: V0.2.5 311 work dir: /storage/gpfs_super	berb/prod/FastSim_test_ b/prod/ b/prod/FastSim_test_re	leases/SuperB/FastSim/V0.2.5/
orm fields are required. Production Ser	0 ries: 201 00T: /sto ase: V0.	1_fast O prage/gpfs_superb/p	specify name		Retrieving] OK producti producti software release v svn info: /Release https:/// Revision:	svn info ['/storage/gpfs_sup on name: 2011_September on root: /storage/gpfs_super e release: V0.2.5 311 work dir: /storage/gpfs_super Path: /storage/gpfs_superb/ eFiles URL: https://sbrepo.pd.ir sbrepo.pd.infn.it:8910/Release	berb/prod/FastSim_test_ b/prod/ b/prod/FastSim_test_re prod/FastSim_test_relea ifn.it:8910/Releases/Fas s Repository UUID: a4350 dule: normal Last Chang	eleases/SuperB/FastSim/V0.2.5/ ases/SuperB/FastSim/V0.2.5 itSim/V0.2.5 Repository Root: De25-c451-0410-a7f4-b41d6e663 ed Author: brownd Last Changed





FASTSIM CREATE NEW RE	QUEST			Q		
Select custom request an	d job parameters' values or in	mport them from another pro	oduction request:	🕻 🖌 crea	te-request form	
import from						
production: 2010_Sept	tember_311	request: (BtoKNuNu, B+B-	_K+nunu, DG_4, MixSuperbBkg	.tcl]	import import	
Job Parameters:						
Analysis: BtoKstarNu	Nu	Generator: 8080bar_Btag	-HD_Cocktail G	eometry: DG_4	Background: All B	(g, No Pair (MixSuperb)
	selected parameters doesn't					
Request settings:						
priority:	minrunnum:	required events:	evt/job:	number of jobs:	expected event time:	max wct::
10	1000000	10	1	10	9.00	57600
outputs' sites:						
CIT_CMS_T2B	CIT_HEP_CE	GRIF	GRISU_UNINA	IN2P3-CC	INFN-BARI	INFN-CAGLIARI
INFN-FERRARA	INFN-LNL-2	INFN-MILANO	INFN-NAPOLI-ATLAS	INFN-PERUGIA	INFN-PISA	✓ INFN-T1
INFN-TORINO	RAL-LCG2	SLAC	UKI-LT2-QMUL	UKI-SOUTHGRID-OX-HEP	UKI-SOUTHGRID-RALPP	UNINA-EGEE
VICTORIA-LCG2	VICTORIA-LCG2-SL4					
note: (max. 255 charac	ters)				Request Creation Summary	
					Checking request name value ['edal	75aac8e217826d92ccb2fe961949d] OK
			CREATE RE	QUEST	A Request exists - it is no necessary to cr	eate it OK
					Checking production request value [2010_July, eda75aac8e217826d92ccb2fe961949d
					Production Request doesn't exist - it is	necessary to create it OK
: the management of the second					Creating Production Request ['2010_Ju	ly, 'eda75aac8e217826d92ccb2fe961949d'] OK
it's possible t		settings of an e	xistent request,	Ľ.	priority: 20	
from one of	all the production	on requests sav	ed on the db		minrunnum: 10000000	
	an aan dinaadh a		for over ich		req events: 100000000	
otherwise use	er can directly s	pecity the value	es for every job	parameter	events/job: 50000	
				1	num. jobs: 2000	
request settir	0	_	_		event time: 1	
- priority, min	runnum, require	ed events, event	s per job, numbe	er of jobs,	max wct: 57600	
expected eve	nt time, max wo	t			The Production Request was created su	ccessfully!
•	where the jobs		utout files		site: INFN-T1	
			acput mes		The Site/Sites' Request were created su	uccessfully!
- note					Associated Test Production Request cree	ated successfully!

WebUI

elect a production from list:	2010_July	I. select produc			
				Total Jobs per Status:	Total Events per Status:
Production Series:	2010_July			No jobs	No jobs
Production root:	/storage/gpfs_superb/prod/				
Software Release:	V0.2.5 311				
Release Work Dir:	/storage/gpfs_superb/prod/FastSi	m_test_releases/SuperB/FastS	am/v0.2.5/		
Status:	open				
Note:				2. select su	bmission sites
				A	
ubmission Sites:					
CIT_CMS_T2B	CIT_HEP_CE	GRIF	GRISU_UNINA	IN2P3-CC	INFN-BARI
INFN-CAGLIARI	INFN-FERRARA	INFN-LNL-2	INFN-MILANO	INFN-NAPOLI-ATLAS	INFN-PERUGIA
INFN-PISA	INFN-T1	INFN-TORINO	RAL-LCG2	SLAC	UKI-LT2-QMUL
UKI-SOUTHGRID-OX-HEP	UKI-SOUTHGRID-RALPP	UNINA-EGEE	VICTORIA-LCG2	VICTORIA-LCG2-SL4	
	-		Select all none		
is a test	?		fi	rst bulk	
ob Details:			A • • • • •	rst bulk	
Test Job? Number	of runs: 10 Number of ev	ents: 1			
equest: [Ibtokinunu, B+B-	Btag-HD_Cocktail, DC_0, MixSuperbBk	g.tcij	,		
Log files to be stored in	the bookeeping database				
				▲···· second bull	1
and a second				A .	
fest Job? 🗹 Number					
equest: [HadRecoilCockta	I, BOBObar_Btag-HD_Cocktail, DG_4, Pa	cProduction.tcl])		
nalysis: HadRecoilCocktai	Generator:	B0B0bar_Btag-HD_Cocktail	Geometry: DG_4	Background	No Backgrounds
narysis. Hauneconcocktai					
Production Reques	t exists!				

add/remove bulk

- User can submit jobs on different requests on the same production, or jobs on both main production and associated test production (as shown in the picture)
- In case of a test job, if the values of the job parameters does not exist in any of the request on the db, the request will be created before submit

mercoledì 14 settembre 11

When all is ready to submit, press (Submit Data And Generate Summary

and check the summary before confirm to submit jobs:

Summary

The UI will launch 2 set(s) of normal jobs (a total of 11 jobs, 11 events) for the Production 2010_July with the following parameters: **PRODUCTION DATA - SUMMARY** Production Series: 2010_July Production root: /storage/gpfs_superb/prod/ Version: V0.2.5 /storage/gpfs_superb/prod/FastSim_test_releases/SuperB/FastSim/V0.2.5/ Release working Directory: 311 Revision: JOBS DATA - SUMMARY Number of Site First Last Number of Analysis Generator Background Log in Set Geometry RUNNUM RUNNUM DB Jobs Events 10 VICTORIA-LCG2 10000000 10000009 10 **BtoKNuNu** DG_0 MixSuperbBkg.tcl 1 B+B-_Btag-0

						(1 ea.)		HD_Cocktail
								2010_July
	2	1	VICTORIA-LCG2	10000065	10000065	1 (1 ea.)	HadRecoilCocktail	Automatic submission output
								Submission in ProgressSubmission Done! (11.657 s)
	2	11				11		Submit general file 1/1 Executing /data1/script_webui/FastSim/generalscripts/sbk4/2010_July_test/VICTORIA- LCG2_10000065_10000065.sh
					Pr	oduction Initializa	ation and Script Generation	Launching Jobs /tmp/tmp.IGerb28567
Au	toma	atic Sul	bmission is per	formed by	confirming	; the summ	nary.	Executing command [/opt/exp_software/superb/ganga/install/5.5.26/bin/gangaconfig- path=/datal/script_webui//FastSim/gangascripts//superB.ini -o[Configuration]user=evianello -o[Configuration]gangadir=/tmp/tmp.IGerb28567 /gangadir /datal/script_webui//FastSim/gangascripts//severus_ganga.gpi /datal /script_webui//FastSim/confscripts/2010_July_test/ VICTORIA- LCG2_10000065_10000065.conf 10000065 10000065 VICTORIA-LCG2 2010_July_test FastSim]
lf a '	valid p	proxy foi	r the user can be	created, a	ll will go fin	e.The outp	out of	*** Welcome to Ganga *** Version: Ganga-5-5-26
the	bash c	comman	d launched is sho	wn on a d	ialog windo	w:		Documentation and support: http://cern.ch/ganga Type help() or help('index') for online help.
								This is free software (GPL), and you are welcome to redistribute it under certain conditions; type license() for details.
								[0;0mGanga.GPIDev.Lib.Job : INFO submitting job 0 [0;0m [0;0mGanga.GPIDev.Lib.Job : INFO job 0 status changed to "submitting" [0;0m

WebUI

Monitoring the job:

how 25	ent	ries		hide	e/show columns				Search:	
				66 j	obs found matching the s	earch criteria.				
runnum		events	Analysis	Generator	Geometry	Background	Status	UNNING-02 Copin	a software	wct (s)
10000065 evianello		1	HadRecollCocktall	B0B0bar_Btag-HD_Cocktail	DG_4	PacProduction.tcl	running	gjid	VICTORIA-LCG2	
******				• • • •		~ K				
		more	details of rur	nning status - impr	rovement fro	m Severus	Statu	RUNNGEN01 t logger is OK s	the script is star ounds good!	ted Rest is OK
							runnin	ig i	gjid VIC	FORIA-LCG2

Filter dialog for a job monitor research:

Unan	(edecelle	A Sites	
User:	evianello	Sites:	
Production:	2011_September	CIT_CMS_T2B	CIT_HEP_CE
Requests:	(- all -	IN2P3-CC	INFN-BARI
Runnums:	from to	INFN-CAGLIARI	INFN-FERRARA
Status: Error code: Other:	Select all none pending notdone - all - + last 50 + jobs submitted + from more than 24 + hours	timeout INFN-LNL-2 INFN-NAPOLI-ATLAS INFN-PISA INFN-TORINO SLAC UKI-SOUTHGRID-OX-HEP UNINA-EGEE	 ✓ INFN-MILANO ✓ INFN-PERUGIA ✓ INFN-T1 ✓ RAL-LCG2 ✓ UKI-LT2-QMUL ✓ UKI-SOUTHGRID-RALF ✓ VICTORIA-LCG2
	prepared to to	VICTORIA-LCG2-SL4	E HEIGHAR LEGE
		Select al	Linone

Filter Jobs	by selecting:													
U	er: tomassetti					_					•	Sites:		_multiple site select
Producti	on: 2010_Septe	ember									•	CIT_CMS_T2B	GRIF	
Reque	ts: - all -											✓ IN2P3-CC ✓ INFN-CAGLIARI	INFN-BARI	
Runnu	ns: from 10070	00000	to	10076	0137	5					:	INFN-NAPOLI-ATLAS	•	
Stat			bmitt	ed 🗹	runn	ing			iled 🗹 sys- otdone	failed 🗹 t	timeout	 ✓ INFN-T1 ✓ RAL-LCG2 ✓ UKI-LT2-QMUL 	 ✓ INFN-TORINO ✓ SLAC ✓ UKI-SOUTHGRID-RALPP 	
nultiple status selection Error co	ie: 🛛 - all - 🛟											VICTORIA-LCG2	VICTORIA-LCG2-SL4	
Oth	submit	ted ‡	fron		e than	24	¢ h					Select	all none	
		ed	fro	m				to	o search jo	bs	•	selection of a parti all job parameters'	cular request or from one a values	to
►	d 🗘	0	Sep		201		Ý O	Þ				 - all - - all - select a request define job's parameter 	r values	
prepare submitte running		Su				2	3 4		Requests:	select a r	request	•	•••	•
termina	ed		6				10 11					-HD_Cocktail, DG_0, MixSu	uperb8kg_NoPair.tcl]	•
							17 18 24 25							
				28			24 25					▲.		
		Time		15:23							Analysis:	- all -		
		Hour									Generator:	· all ·		•
		Minut	e								Geometry:	- all -		•
											Background:	· all ·		•

WebUI

r	, * op	en filters	refresh las		e/show	runnum production uid				[FastSin
alog ries	o refre	esh last search	error codes	O hide/show colum	ins	events Analysis Generator Geometry Background	sear			
v e	vents	Analysis	Generator	1350 jobs found m Geometry	Backgrou	Status Reason	Status	GJid	Site	wct (s)
5	0000	Generics	B0B0bar_generic	DG_4	MixSuperb	ErrorMsg	done	gjid	INFN-T1	38309.87
5	0000	Generics	B0B0bar_generic	DG_4	MixSuperb	☑ GJid ☑ Site	done	gjid	INFN-T1	38023.19
5	0000	Generics	B0B0bar_generic	DG_4	MixSuperb	ts prepared	done	gjid	INFN-T1	85779.33
5	0000	Generics	B0B0bar_generic	DG_4	MixSuperb	ts running	done	gjid	INFN-T1	39098.15
5	0000	Generics	B0B0bar_generic	DG_4	MixSuperb	wct (s)	done	gjid	INFN-T1	39002.56
5	0000	Generics	B0B0bar_generic	DG_4	MixSuperbE	3kg_NoPair.tcl	done	gjid	INFN-T1	39129.67
5	0000	Generics	B0B0bar_generic	DG_4	MixSuperb	3kg_NoPair.tcl	done	gjid	INFN-T1	97592.22
5	0000	Generics	B0B0bar_generic	DG_4	MixSuperb	3kg_NoPair.tcl	sys-failed 007	gjid	INFN-T1	39653.42
5	0000	Generics	B0B0bar_generic	DG_4	MixSuperbE	3kg_NoPair.tcl	done	gjid	INFN-T1	38992.40
5	0000	Generics	B0B0bar_generic	DG_4	MixSuperbl	3kg_NoPair.tcl	done	gjid	INFN-T1	85653.79
•	alog ies ve S S S S S S S S S S S S	alog 📀 refra ies	Image Image </td <td>Y Open filters research olog Image: Ima</td> <td>research col research col hide/show column ies hide/show column 1350 jobs found m v events Analysis Generator Geometry 50000 Generics B0B0bar_generic DG_4 50000 Generics B0B0bar_generic DG_4</td> <td>refresh last hide/show columns refresh last hide/show columns refresh last research columns refresh last search research hide/show columns refresh last search research refresh last search refresh last searc</td> <td>refresh last research hide/show columns research rese</td> <td>refresh last research hide/show columns wid events hide/show columns research ies hide/show columns research ies hide/show columns hide/show columns hide/show columns hide/show columns hide/show columns hide/show columns statu</td> <td>refresh last regearch hide/show columns regearch hide/show columns regreater regearch filter regearch gild regearch filter regearch filt</td> <td>refresh last regearch research re</td>	Y Open filters research olog Image: Ima	research col research col hide/show column ies hide/show column 1350 jobs found m v events Analysis Generator Geometry 50000 Generics B0B0bar_generic DG_4 50000 Generics B0B0bar_generic DG_4	refresh last hide/show columns refresh last hide/show columns refresh last research columns refresh last search research hide/show columns refresh last search research refresh last search refresh last searc	refresh last research hide/show columns research rese	refresh last research hide/show columns wid events hide/show columns research ies hide/show columns research ies hide/show columns hide/show columns hide/show columns hide/show columns hide/show columns hide/show columns statu	refresh last regearch hide/show columns regearch hide/show columns regreater regearch filter regearch gild regearch filter regearch filt	refresh last regearch research re

A open job details, list of output files and log

- use datatables to format the query results (<u>www.datatables.net</u>) via jQuery, perform string filter, sorting, pagination
- to prevent reaching php limit on output dimension, the query results is sent on sequential pages
- to prevent reaching browser script time limit every page is asked after a timeout from previous page download
- the query results are sent json encoded

Home Page

USER INFO:

Q Hi Enrico Vianello!

user-id: evianello auto-sub: 😝 enabled you are member of 5 group(s):

- webui
- webuiFastProdMgr
- webuiFullProdMgr
- webuiShift
- WebUiDeveloper user privileges:
- ereate productions
- ereate requests
- 😝 shifter ui
- expert ui
- e monitoring jobs

GUIDE

Use the Horizontal Menu to access the various section the WebUI.

See the 'Guide' boxes in the appropriate section...

RESOURCES

Shifter Guide

-		, Idap groups Ji privileges			user statistics l session	by	Iast N activ	vities
•	YOUR SESSION	S' STATISTICS:						
	session	job launched	job graph	•	events generated	total wct (s)	•	
	FastSim	51			51	2092.20	•	

how 10 🔹 entries				Search:
time 🔻	type	session	info	
2011-09-07 15:12:52	JOBSUBMISSION	FastSim	job status:	Job submitted: 1 (events: 1) on 2010_July_test view det
2011-09-05 18:45:19	JOBSUBMISSION	FastSim	job status:	Job submitted: 1 (events: 1) on 2010_July_test view det
2011-09-05 18:37:21	JOBSUBMISSION	FastSim	job status:	Job submitted: 1 (events: 1) on 2010_July_test view det
2011-09-05 11:33:59	JOBSUBMISSION	FastSim	job status:	Job submitted: 4 (events: 4) on 2010_July_test view det
2011-09-05 11:33:06	JOBSUBMISSION	FastSim	job status:	Job submitted: 4 (events: 4) on 2010_July_test view det
2011-09-05 11:30:16	JOBSUBMISSION	FastSim	job status:	Job submitted: 2 (events: 2) on 2010_July_test view det
2011-09-05 11:26:34	JOBSUBMISSION	FastSim	job status:	Job submitted: 2 (events: 2) on 2010_July_test view det
2011-09-05 11:25:25	JOBSUBMISSION	FastSim	job status:	Job submitted: 2 (events: 2) on 2010_July_test view det
2011-09-05 11:24:13	JOBSUBMISSION	FastSim	job status:	Job submitted: 2 (events: 2) on 2010_July_test view det
2011-09-05 10:48:46	JOBSUBMISSION	FastSim	job status:	Job submitted: 4 (events: 4) on 2010_July_test view d

3 kinds of activity type:


- production created

- job submission

- request created

p show fill	_	refresh last search	0 error codes	de/show columns		link to submi:		·	
			4	jobs found matching the search	ch criteria.	status	on	job	
runnum	events	Analysis	Generator	Geometry	Background	monit			wet (s)
10000038 evianello	1	HadRecol/Cocktail	8080tar_8tag-HD_Cocktail	DG_4	PacProduction.tcl	done	9014	VICTORIA-LCG2	70.80
10000037 evianelio	1	HadRecolCocktall	8080bar_Btag-HD_Cocktail	DG.,4	PacProduction.tcl	done	spid	GRUP	52.10
10000035 evianello	1	HadRecollCocktail	B0B0bar_Btag-H0_Cocktail	DG_4	PacProduction.td	done	gjid	VICTORIA-LOG2	83.60
10000035 evianello	1	HadRecollCocktall	8080bar_8tag-HD_Cocktail	DG_4	PacProduction.tcl	failed	sjid	GRUF	13.60

table generated in '0000:00:01.17' (destroyed in: 0000:00:00.00)



New Job Script

M. Manzali, M. Favaro, et al.

CS master degree's students

JOB SCHEMA

 Job launch a bash script (exe.sh) with two parameters: the configuration file name and the run number



- exe.sh is a simple script that unzip severus and launch it passing configuration file name and run number
- file.conf is the configuration file of the job (contains all the informations needed by the simulation software, the rest and Severus)

SEVERUS OBJECTS

• SeverusWrapper:

• checks the version of python in the worker node and launches the correct object (if there is one for that version)

• GeneralScript:

• is independent from the simulation, it prepares the environment and handles the output files

• FastSim:

• this object is customized for a specific simulation, it copies input files and software and executes the simulation software

• ScriptObj:

• contains utility classes like rest, parser, logger, etc.

SEVERUS SCHEMA1

• Python's version check (SeverusWrapper):

- launches the correct object for a specific python's version
- Environment setting (GeneralScript):
 - parsing of the configuration file
 - creation of the utility classes (Rest, Logger, Parser, Option)


• Simulation's execution (FastSim):

- copies input files and simulation software from the storage element to the worker node
- executes the simulation software

• Final operations (GeneralScript):

• copies output files and log from the worker node to the destiantion storage element

SEVERUS SCHEMA 2



mercoledì 14 settembre 11

FullSim into the Grid

- We are working on it!
- The new python job structure makes the process easier:
 - Addition of proper configuration file
 - Development of proper FullSim object (not so different from FastSim one)
- by the end of September...

Grid Monitor

- Possibility to retrieve the job status from the infrastructure
- Automatic and/or manual update of Bookkeeping database
- Useful for problematic jobs (hanging/ crashed/frozen at any stage)

Thanks