


Constraints on Light Sterile Neutrinos from the KATRIN Experiment

C. Köhler^{1,2}, T. Lasserre³,
S. Mohanty⁴, X. Stribl^{1,2}
(xaver.stribl@tum.de)




¹Technical University of Munich, ²Max Planck Institute for Physics, ³CEA, Université Paris-Saclay, ⁴Karlsruhe Institute of Technology





The KATRIN experiment

- Karlsruhe Tritium Neutrino experiment
- Goal: direct measurement of effective electron anti-neutrino mass
- Measure the beta decay spectrum of T_2
- Current upper limit: $m_\nu < 0.8$ eV



Short-baseline anomalies


- **Reactor anti-neutrino anomaly (RAA):** deficit in $\bar{\nu}_e$ -flux from nuclear reactors
- **Oscillation experiments:** investigate RAA → no oscillation found
- **Gallium anomaly (GA):** deficit in ν_e -flux
- **Neutrino-4:** claims to observe light sterile neutrino



→ Light sterile neutrinos as a possible explanation

Light sterile neutrinos and KATRIN

- Complementary to oscillation experiments
- Signature: "kink" in differential β -spectrum




Netrium

- Python based software framework
- Utilizing neural network to interpolate the tritium β -spectrum model
- Trained on pre-calculated spectra with varied input parameters by minimizing the loss function


$$\frac{1}{N} \sum_{i=0}^N \left(\frac{R_{i,\text{net}} - R_{i,\text{true}}}{\langle R_{i,\text{true}} \rangle} \right)^2$$

- Computationally expensive calculation of integrals in model is sped up → improved computing time and easier handling of complex data sets
- Paper: arXiv:2201.04523v1




Analysis procedure

- Grid over sterile neutrino parameter space of $|U_{e4}|^2 \times m_4^2$
- Maximum likelihood fit of the spectrum at every point in the grid using a **neural network (Netrium)**
- $E_0 - 40$ eV fit range
- Fix sterile neutrino parameters and fit $E_0, A_{\text{sig}}, R_{\text{bkg}}$
- Obtain a map of χ^2 values → draw the exclusion contour



New sensitivity on the parameter space



- Huge improvement in sensitivity with new data (KSN1-5)
- $m_\nu^2 = 0$ eV²
- Cover more of the large Δm_{41}^2 region of the RAA
- Potentially rule out light sterile neutrinos as an explanation for the GA together with oscillation experiments
- Probe almost all of the Neutrino-4 parameter space

Outlook

- Finalizing analysis on real data (KSN1-5)
- Additional studies ongoing:
 - Inclusion of non-zero active neutrino mass in analysis
 - Extended fit range beyond 40 eV
- Aimed **release of new result this year** → Stay tuned!