Contribution ID: 6

Classifying binary black holes from Population III stars using machine learning and the Einstein Telescope

Wednesday, 18 September 2024 17:20 (20 minutes)

Third-generation (3G) gravitational-wave (GW) detectors like the Einstein Telescope (ET) will observe binary black hole (BBH) mergers at redshifts up to $z \sim 100$. However, unequivocal determination of the origin of high-redshift sources will remain uncertain, due to the low signal-to-noise ratio (SNR) and poor estimate of their luminosity distance. This study proposes a machine learning approach to infer the origins of high-redshift BBHs, specifically differentiating those arising from Population III (Pop. III) stars —likely the first progenitors of stellar-born BBH mergers in the Universe —and those originated from Population I-II (Pop. I-III) stars. We have considered a wide range of state-of-the-art models encompassing current uncertainties on Pop. III BBH mergers. We then estimate parameter errors of detected sources with ET using the Fisher-information-matrix formalism, followed by classification using XGBoost, a machine learning algorithm based on decision trees. For a set of mock observed BBHs, we provide the probability that they belong to the Pop. III class while considering the parameter errors of each source. In our fiducial model, we accurately identify ~ 10% of detected BBHs originating from Pop. III stars with > 90% precision. Our study demonstrates how machine learning enables to achieve some pivotal aspects of ET science case by exploring the origin of individual high-redshift GW observations. We set the basis for further studies, which will integrate additional simulated populations and account for population modeling uncertainties.

Primary author: SANTOLIQUIDO, Filippo (Istituto Nazionale di Fisica Nucleare)
Presenter: SANTOLIQUIDO, Filippo (Istituto Nazionale di Fisica Nucleare)
Session Classification: TEONGRAV Session