

# **2023-Test beam data analysis updates**

---

M. Louka  
June 2024

# Configurations

configuration	runs	gas	angle	momentum	events	MB
1	tbdta_1,_2,_3 run1,2	90/10	3°	10	18800 6987	460,4 3382
2	tbdta_4 run4	90/10	45°	10	4800 2585	119,3 1240
3	tbdta_10 run10	90/10	5°	8	4709 3413	118,2 ?
4	tbdta_5,_6,_7,_8,_9 run5,7,8	90/10	45°	8	8100 + 4548 +	67,1 + 2190 +
5	tbdta_11 run11	90/10	0°	6	4618 4973	115,3 2390
6	tbdta_12 run12	90/10	45°	6	3041 ?	83,9 ?
7	tbdta_14 run14	90/10	0°	4	1001 4365	25,2 ?
8	tbdta_13 run13	90/10	45°	4	1700 5355	42,7 ?
9	tbdta_15 run15	90/10	0°	2	6947 3516	184,6 ?
10	tbdta_16 run16	90/10	45°	2	? 4023	43,9 ?
11	tbdta_17 run17	85/15	0°	10	10400 4000	268,4 ?
12	tbdta_18 run18	85/15	45°	10	2000 2500	117 ?
13	tbdta_26 run26	85/15	0°	8	19814 5039	
14	tbdta_25 run25	85/15	45°	8	10000 ?	
15	tbdta_20 run20	85/15	0°	6	9800 5019	247,5 ?
16	tbdta_19 run19	85/15	45°	6	4112 3767	104 ?
17	tbdta_21 run21	85/15	0°	4	2827 3760	70,3 ?
18	tbdta_24 run24	85/15	45°	4	2900 4215	104,9 ?
19	tbdta_22 run22	85/15	0°	2	923 2691	23,2 ?
20	tbdta_23 run23	85/15	45°	2	2000 4000	83,9 ?

# The set up

DRS16 channels	HV channels	Tubes
0	0	1.0cm-20μm
1	1	1.0cm-20μm
2	2	1.0cm-20μm
3	3	1.0cm-20μm
4	4	1.0cm-20μm
5	5	1.0cm-20μm
6	12	1.5cm-20μm
7	13	1.5cm-20μm
8	14	1.5cm-20μm
9	15	<u>1.5cm-20μm</u>
10	-	-
11	-	-
12	-	-
13	-	-
14	-	Sipm Scintillator upstream
15	-	Sipm Scintillator downstream

Oscilloscope	HV channels	Tubes
1	16	1.5cm-20μm
2	17	1.5cm-20μm
3	18	1.5cm-20μm
4	19	1.5cm-20μm
5	8	1.0cm-20μm
6	6	1.0cm-20μm
7	9	1.0cm-20μm
8	10	1.0cm-20μm

## Derivative algorithm optimization

for DRS & OSC data

example run no. 4 (Gas mix. 90/10, angle 45, momentum 10 GeV)

Different set of cuts are tested:

[run number] [first event] [last event] [sampling rate] [cut on RMS] [cut on amplitude] [1st der.] [2nd der.] [Bsln time] [n bins] [clusterization]

1st der. : 0.4, 0.6, 0.8, 1.0





2nd der. : 0.4, 0.6, 0.8, 1.0





scale cut : 0.2, 0.22, 0.24, 0.26





## **scan on the 1st derivative cut**





Cut on 2nd der. : 0.4





Cut on clusterization : 0.24




















## **scan on the 2nd derivative cut**

Cut on 1st der. : 0.6

Cut on clusterization : 0.24












0.4





0.8



0.6

1.0

















## **scan on the clusterization cut scale**





Cut on 1st der. : 0.6





Cut on 2nd der. : 0.4











**DRS / OSC** : example run no. 4  
*(Gas mix. 90/10, angle 45, momentum 10 GeV*

Cut on 1st der. : 0.6

Cut on 2nd der. : 0.4



Cut on clusterization : 0.24

This tuning is working quite good for **DRS** data sets but not for **OSC**





# OSC: example run no. 4





(Gas mix. 90/10, angle 45, momentum 10 GeV



Cut on 1st der. : 0.6  
Cut on 2nd der. : 0.4  
Cut on clusterization : 0.24







# DRS



















Time of first electrons peak

