



Contribution ID: 393

Type: **Poster**

## A new cylindrical drift chamber for the MEG-II experiment

*Wednesday, 27 May 2015 09:13 (0 minutes)*

A new cylindrical drift chamber for the MEG-II experiment is currently under construction. The chamber is used to track low momentum positrons from the  $\mu^+$  decays to search for  $\mu^+ \rightarrow e^+ \gamma$  events. The chamber is made of very small drift cells, placed in stereo configuration for longitudinal hit localisation and operated in a helium-isobutane gas mixtures. The use of thin aluminium wires and the light gas mixture set the total radiation length of the chamber to only  $1.6 \times 10^{-3} X_0$  allowing for a momentum resolution of  $\approx 120 \text{ keV}/c$ .

**Primary author:** VENTURINI, Marco (PI)

**Co-authors:** BALDINI, Alessandro Massimo (PI); VOENA, Cecilia (ROMA1); NICOLÒ, Donato (PI); CEL, Fabrizio (PI); GRANCAGNOLO, Francesco (LE); RENGÀ, Francesco (ROMA1); SIGNORELLI, Giovanni (PI); GALLI, Luca (PI); GRASSI, Marco (PI); PANAREO, Marco (LE)

**Presenter:** GRASSI, Marco (PI)

**Session Classification:** Gas Detectors - Poster Session

**Track Classification:** S7 - Gas detectors