



Contribution ID: 222

Type: Poster

## Optical readout of a Triple-GEM detector with a CMOS sensor

*Wednesday, May 27, 2015 9:31 AM (0 minutes)*

In last years, the development of optical sensors has produced objects able to provide very interesting performance. Large granularity is offered along with a very high sensitivity.

CMOS sensors with millions of pixels able to detect as few as two or three photons per pixel are commercially available and can be used to read-out the optical signals provided by tracking particle detectors.

In this work the results obtained by optically reading-out a triple-GEM detector by a commercial CMOS sensor will be presented.

A standard detector was assembled with a transparent window below the third GEM allowing the light to get out. The detector is supplied with an Ar/CF<sub>4</sub> based gas mixture producing 650 nm wavelength photons matching the maximum quantum efficiency of the sensor (about 80%).

In the presentation the measured performance as light yield, space resolution and detection efficiency will be shown.

**Primary author:** PINCI, Davide (ROMA1)

**Co-authors:** SCIUBBA, Adalberto (ROMA1); SARTI, Alessio (LNF); SPIRITI, Eleuterio (LNF); Dr MARAFINI, Michela (Centro Fermi); PATERA, Vincenzo (ROMA1)

**Presenter:** PINCI, Davide (ROMA1)

**Session Classification:** Gas Detectors - Poster Session

**Track Classification:** S7 - Gas detectors